

Authors and books - using rule to copy value from a referenced field

This demo shows how the data could be copied from one form to another using "Set value" Field Definition Rule

Author	loadme
JRR	Tolkien
Dostoevsky	Fedor Dostoevsky

Register form 2

Showing the data over form2 and only own fields. The value for author2 field is copied from form 1, author field. This means that changing the field value in form 1 for field author will NOT change the field in form 2

Pick from	Author field copied from form2
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Fedor Dostoevsky	Dostoevsky
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Fedor Dostoevsky	Dostoevsky

Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Fedor Dostoevsky	Dostoevsky
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Tolkien	JRR
Fedor Dostoevsky	Dostoevsky
Tolkien	JRR

Storage format

```

<ac:structured-macro ac:macro-id="24adbb2a-9287-47ae-804e-a311d97dafd4" ac:name="confiorm" ac:schema-version="1">
  <ac:parameter ac:name="formName">form12</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="703fb3ca-cf33-4b3b-a596-8bcbb8091123" ac:name="confiorm-entry-register" ac:schema-version="1">
      <ac:parameter ac:name="registrationButtonLabel">Register author</ac:parameter>
      <ac:rich-text-body>
        <p> </p>
      </ac:rich-text-body>
    </ac:structured-macro>
  </ac:structured-macro>
  <ac:structured-macro ac:macro-id="068634b7-659d-4913-baf8-ceeda9e514d0a" ac:name="confiorm-field-

```

```

definition" ac:schema-version="1">
  <ac:parameter ac:name="fieldName">author</ac:parameter>
  <ac:parameter ac:name="fieldLabel">Author</ac:parameter>
  <ac:parameter ac:name="type">text</ac:parameter>
</ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="185d25d8-3f76-40b4-a457-14f400144d81" ac:name="confiorm-field-
definition" ac:schema-version="1">
    <ac:parameter ac:name="fieldName">loadme</ac:parameter>
    <ac:parameter ac:name="fieldLabel">loadme</ac:parameter>
    <ac:parameter ac:name="type">text</ac:parameter>
  </ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="db83cd79-8b78-43b9-9092-83698a9fdeae" ac:name="confiorm" ac:schema-version="
1">
  <ac:parameter ac:name="formName">form22</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="82142611-df8b-4c3b-8ce9-b75d94311dad" ac:name="confiorm-entry-register"
ac:schema-version="1">
      <ac:parameter ac:name="registrationButtonLabel">Register form 2</ac:parameter>
      <ac:rich-text-body>
        <p> </p>
      </ac:rich-text-body>
    </ac:structured-macro>
  <p>
    <ac:structured-macro ac:macro-id="25d6a3d5-cd44-46aa-953c-1d8c5b433e98" ac:name="confiorm-field-
definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">pickFrom</ac:parameter>
      <ac:parameter ac:name="fieldLabel">Pick from</ac:parameter>
      <ac:parameter ac:name="values">[11862871|form12|loadme|true|]</ac:parameter>
      <ac:parameter ac:name="type">smartselect</ac:parameter>
    </ac:structured-macro>
  </p>
<p>
    <ac:structured-macro ac:macro-id="68d42b33-94b0-4322-9d9b-890739f2d79a" ac:name="confiorm-field-
definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">author2</ac:parameter>
      <ac:parameter ac:name="fieldLabel">Author2</ac:parameter>
      <ac:parameter ac:name="type">read_only</ac:parameter>
    </ac:structured-macro>
  </p>
<p>
    <ac:structured-macro ac:macro-id="ce2ac4d1-7f11-467d-8372-a1c4507b47d1" ac:name="confiorm-field-
definition-rules" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">author2=pickFrom.author</ac:parameter>
      <ac:parameter ac:name="values">author2=[entry.pickFrom.author]</ac:parameter>
      <ac:parameter ac:name="action">Set value</ac:parameter>
      <ac:parameter ac:name="actionFieldName">pickFrom</ac:parameter>
    </ac:structured-macro>
  </p>
</ac:rich-text-body>
</ac:structured-macro>
<p> </p>
<p>Showing the data over form2 and only own fields. The value for author2 field is copied from form 1, author
field. This means that changing the field value in form 1 for field author will NOT change the field in form 2<
/p>
<ac:structured-macro ac:macro-id="ec068312-e1f4-49ad-9724-bb57343b0456" ac:name="confiorm-table" ac:schema-
version="1">
  <ac:parameter ac:name="formName">form22</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="36a134c6-f49c-4d27-b24a-13fc0b0ad993" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">pickFrom</ac:parameter>
      </ac:structured-macro>
    </p>
  <p>
    <ac:structured-macro ac:macro-id="6c4e893b-1b7c-43b3-aaa6-a3903611aaba" ac:name="confiorm-field" ac:

```

```
schema-version="1">
  <ac:parameter ac:name="overrideLabel">Author field copied from form2</ac:parameter>
  <ac:parameter ac:name="fieldName">author2</ac:parameter>
</ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
```