

Quick demo on setting presets - number and dropdown

set num then drop set drop and then num

Source code

```
<ac:structured-macro ac:macro-id="d463a5c4-5a54-46b8-b6a3-6318b354a0a0" ac:name="confiform" ac:schema-version="1">
  <ac:parameter ac:name="formName">f1</ac:parameter>
  <ac:rich-text-body>
    <p>
      <br/>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="6a8b4d7c-f8d4-40f4-82d9-e0bd47aa7ba6" ac:name="confiform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">n</ac:parameter>
        <ac:parameter ac:name="fieldLabel">num</ac:parameter>
        <ac:parameter ac:name="type">number</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="68a0453e-b4bb-4022-b3d8-764093419da0" ac:name="confiform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">d</ac:parameter>
        <ac:parameter ac:name="fieldLabel">d</ac:parameter>
        <ac:parameter ac:name="values">false[1=one|2=two|3=three|]</ac:parameter>
        <ac:parameter ac:name="type">select</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="e8556a91-eb6b-474c-9963-4a29de430291" ac:name="confiform-entry-register" ac:schema-version="1">
  <ac:parameter ac:name="presetValues">n=1&amp;d=2</ac:parameter>
  <ac:parameter ac:name="registrationButtonLabel">set num then drop</ac:parameter>
  <ac:rich-text-body>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="cbccd879-d18c-4206-af79-adeb23752980" ac:name="confiform-entry-register" ac:schema-version="1">
  <ac:parameter ac:name="presetValues">d=2&amp;n=1</ac:parameter>
  <ac:parameter ac:name="registrationButtonLabel">set drop and then num</ac:parameter>
  <ac:rich-text-body>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```