

# Create Jira issue with webservice connection with files and remote links - storage format

```
<ac:structured-macro ac:macro-id="634f4a34-b8ba-464d-b222-e123d65cc4e0" ac:name="conform" ac:schema-version="1">
  <ac:parameter ac:name="formName">ji</ac:parameter>
  <ac:parameter ac:name="showOnlyOwnRecords">true</ac:parameter>
  <ac:parameter ac:name="registrationFormTitle">Create Jira issue with ConfiForms Webservice connection</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="dd25632e-211e-4820-8754-836d4ade9236" ac:name="conform-entry-register" ac:schema-version="1">
      <ac:parameter ac:name="overrideSaveButtonLabel">Create</ac:parameter>
      <ac:parameter ac:name="registrationButtonLabel">Register me</ac:parameter>
      <ac:parameter ac:name="embedded">true</ac:parameter>
      <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
      <ac:rich-text-body>
        <p>
          <br/>
        </p>
      </ac:rich-text-body>
    </ac:structured-macro>
  </p>
  <ac:structured-macro ac:macro-id="8a572845-1d28-4560-a4d8-f8102317e419" ac:name="conform-field-definition" ac:schema-version="1">
    <ac:parameter ac:name="fieldName">summary</ac:parameter>
    <ac:parameter ac:name="fieldLabel">Summary</ac:parameter>
    <ac:parameter ac:name="type">text</ac:parameter>
  </ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="2e5a8660-272b-43f6-801d-a3131c3665c5" ac:name="conform-field-definition" ac:schema-version="1">
    <ac:parameter ac:name="fieldName">desc1</ac:parameter>
    <ac:parameter ac:name="fieldLabel">Description</ac:parameter>
    <ac:parameter ac:name="type">text</ac:parameter>
  </ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="7d641f3b-1fd7-4e47-a63e-a2b040782730" ac:name="conform-field-definition" ac:schema-version="1">
    <ac:parameter ac:name="fieldName">desc2</ac:parameter>
    <ac:parameter ac:name="fieldLabel">More details:</ac:parameter>
    <ac:parameter ac:name="type">textarea</ac:parameter>
  </ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="7c8f347e-7704-441f-92f2-990cac31a7d5" ac:name="conform-field-definition" ac:schema-version="1">
    <ac:parameter ac:name="css">width:100px</ac:parameter>
    <ac:parameter ac:name="fieldName">jk</ac:parameter>
    <ac:parameter ac:name="fieldLabel">Jira key</ac:parameter>
    <ac:parameter ac:name="type">read_only</ac:parameter>
  </ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="a06f0ccf-0e36-4d07-b47d-cb38a345c0fe" ac:name="conform-field-definition-rules" ac:schema-version="1">
    <ac:parameter ac:name="condition">id:[empty]</ac:parameter>
    <ac:parameter ac:name="fieldName">jk</ac:parameter>
    <ac:parameter ac:name="action">Hide field</ac:parameter>
  </ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="1b02c04d-3480-4397-9ddb-9b0e556b4351" ac:name="conform-field-definition" ac:schema-version="1">
    <ac:parameter ac:name="fieldName">fi</ac:parameter>
    <ac:parameter ac:name="fieldLabel">fi</ac:parameter>
```

```

        <ac:parameter ac:name="type">file</ac:parameter>
    </ac:structured-macro>
</p>
<ac:structured-macro ac:macro-id="53fe3481-065d-41c4-be5d-a7a1268b0450" ac:name="confiiform-ifttt" ac:schema-
version="1">
    <ac:parameter ac:name="action">WebService Request</ac:parameter>
    <ac:parameter ac:name="extras">4bb4c41a51f289a07507d50a1b841a4d</ac:parameter>
    <ac:parameter ac:name="event">onCreated</ac:parameter>
    <ac:parameter ac:name="title">/rest/api/2/issue/</ac:parameter>
    <ac:parameter ac:name="extras2">X-Atlassian-Token: no-check;Content-Type: application/json</ac:parameter>
    <ac:parameter ac:name="who">POST</ac:parameter>
    <ac:rich-text-body>
        <ac:structured-macro ac:macro-id="46d25e82-d4db-4e38-9b96-f5c6159c473f" ac:name="noformat" ac:schema-
version="1">
            <ac:plain-text-body><![CDATA[{
"fields": {
    "project":
        {
            "key": "JTEST"
        },
    "summary": "[entry.summary.escapeJSON]",
    "assignee":{"name":"admin"},
    "description": "[entry.desc1.escapeJSON] \n [entry.desc2.escapeJSON]",
    "issuetype": {
        "name": "Bug"
    }
}
}]]></ac:plain-text-body>
        </ac:structured-macro>
    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<ac:structured-macro ac:macro-id="f00edb26-9174-4f7a-9570-d598e92dce10" ac:name="confiiform-ifttt" ac:schema-
version="1">
    <ac:parameter ac:name="extras4">true</ac:parameter>
    <ac:parameter ac:name="action">Create ConfiForms Entry</ac:parameter>
    <ac:parameter ac:name="event">onCreated</ac:parameter>
    <ac:parameter ac:name="title">entryId=[entry.id]&amp;jk=${iftttResult_0}</ac:parameter>
    <ac:rich-text-body>
        <p>
            <br/>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="fe3beac3-95ef-49ae-b42c-e3168a2f57b7" ac:name="confiiform-ifttt" ac:schema-
version="1">
    <ac:parameter ac:name="action">WebService Request</ac:parameter>
    <ac:parameter ac:name="extras">4bb4c41a51f289a07507d50a1b841a4d</ac:parameter>
    <ac:parameter ac:name="event">onCreated</ac:parameter>
    <ac:parameter ac:name="title">/rest/api/latest/issue/[entry.jk.asJSON.key]/attachments</ac:parameter>
    <ac:parameter ac:name="additionalContext">file</ac:parameter>
    <ac:parameter ac:name="extras2">X-Atlassian-Token: no-check;</ac:parameter>
    <ac:parameter ac:name="who">POST</ac:parameter>
    <ac:rich-text-body>
        <p>
            <ac:structured-macro ac:macro-id="1271c70c-7c2b-4ed2-b009-d2e731ec4a8b" ac:name="confiiform-field" ac:
schema-version="1">
                <ac:parameter ac:name="fieldName">fi</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <br/>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="d4d6ee84-0f33-4713-b0c4-04baad175345" ac:name="confiiform-ifttt" ac:schema-

```

```

version="1">
  <ac:parameter ac:name="action">WebService Request</ac:parameter>
  <ac:parameter ac:name="extras">4bb4c41a51f289a07507d50alb841a4d</ac:parameter>
  <ac:parameter ac:name="event">onCreated</ac:parameter>
  <ac:parameter ac:name="title">/rest/api/latest/issue/[entry.jk.asJSON.key]/remotelink</ac:parameter>
  <ac:parameter ac:name="additionalContext">file</ac:parameter>
  <ac:parameter ac:name="extras2">X-Atlassian-Token: no-check</ac:parameter>
  <ac:parameter ac:name="who">POST</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="56a89f71-7d60-496a-ab45-2d6f6db4bd34" ac:name="noformat" ac:schema-
version="1">
      <ac:plain-text-body><![CDATA[ {
"object": {
  "url":"https://wiki.vertuna.com/pages/viewpage.action?pageId=[entry._page.id]",
  "title":"[entry._page.title.escapeJSON]"
}
}]]></ac:plain-text-body>
    </ac:structured-macro>
  </ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="d309c641-56ef-46cb-b01f-19590d41605e" ac:name="confiorm-table" ac:schema-
version="1">
  <ac:parameter ac:name="formName">ji</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="bb4766d6-cbfe-40c6-ace4-f3dcd21dcc99" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">jk.asJSON.key</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="18b7e9fe-30c3-4a04-886e-6a47446af441" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">created</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>

```