

Phone numbers utilization - alternative view

Source code

```
<ac:structured-macro ac:macro-id="da0e6758-2b41-4714-b1f6-47ddf04a50fc" ac:name="confiorm-calendar" ac:schema-version="1">
  <ac:parameter ac:name="eventTitleFieldName">[entry.phone] - [entry.usetime.asPeriodFormatted]</ac:parameter>
  <ac:parameter ac:name="groupingFieldName">usetime</ac:parameter>
  <ac:parameter ac:name="pageTitle">
    <ac:link>
      <ri:page ri:content-title="Phone numbers utilization"/>
    </ac:link>
  </ac:parameter>
  <ac:parameter ac:name="formName">myphones</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="63ede68c-a9cf-476d-a665-93fd7e503c24" ac:name="confiorm-field-css" ac:schema-version="1">
        <ac:parameter ac:name="condition">phone:phone1</ac:parameter>
        <ac:parameter ac:name="css">background-color:pink !important;</ac:parameter>
        <ac:parameter ac:name="fieldName">usetime</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="59d5219a-d9de-4c1d-a944-f1e237938e8f" ac:name="confiorm-field-css" ac:schema-version="1">
        <ac:parameter ac:name="condition">phone:phone2</ac:parameter>
        <ac:parameter ac:name="css">background-color:red !important;</ac:parameter>
        <ac:parameter ac:name="fieldName">usetime</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```

```

    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="a7b7a0e8-4b3e-481c-bed5-0992f5d906b1" ac:name="confiorm-field-css" ac:
schema-version="1">
      <ac:parameter ac:name="condition">phone:phone3</ac:parameter>
      <ac:parameter ac:name="css">background-color:yellow !important;</ac:parameter>
      <ac:parameter ac:name="fieldName">usetime</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="a6fe4da3-7a4d-470f-8c45-da3404803ade" ac:name="confiorm-field-css" ac:
schema-version="1">
      <ac:parameter ac:name="condition">phone:phone4</ac:parameter>
      <ac:parameter ac:name="css">background-color:green !important;</ac:parameter>
      <ac:parameter ac:name="fieldName">usetime</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="97dee011-e7f1-4c2c-a99c-2b048dcbff38" ac:name="confiorm-field-css" ac:
schema-version="1">
      <ac:parameter ac:name="condition">phone:phone5</ac:parameter>
      <ac:parameter ac:name="css">background-color:magenta !important;</ac:parameter>
      <ac:parameter ac:name="fieldName">usetime</ac:parameter>
    </ac:structured-macro>
  </p>
  <table class="wrapped" style="border: 0;">
    <colgroup> <col/> <col/> <col/> </colgroup>
    <tbody>
      <tr style="border: 0;">
        <td style="border: 0;">
          <div class="content-wrapper">
            <p>
              <strong> <ac:structured-macro ac:macro-id="157f9f11-bc6b-4370-9fdf-dbac2fdf6c67" ac:name="
confiorm-field" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">phone</ac:parameter>
                </ac:structured-macro> </strong>
              </p>
            </div>
          </td>
          <td style="border: 0;">
            <div class="content-wrapper">
              <p>
                <ac:structured-macro ac:macro-id="83bfe25b-488d-4e9e-96c9-36214820d989" ac:name="confiorm-
field" ac:schema-version="1">
                  <ac:parameter ac:name="fieldName">usetime</ac:parameter>
                  </ac:structured-macro>
                </p>
              </div>
            </td>
            <td colspan="1" style="border: 0;">
              <div class="content-wrapper">
                <ac:structured-macro ac:macro-id="61172f54-e6e3-446b-badd-671694c3ce20" ac:name="confiorm-entry-
edit" ac:schema-version="1">
                  <ac:parameter ac:name="inline">true</ac:parameter>
                  <ac:parameter ac:name="compactMode">true</ac:parameter>
                  <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
                  <ac:rich-text-body>
                    <p>
                      <br/>
                    </p>
                  </ac:rich-text-body>
                </ac:structured-macro>
              </div>
            </td>
          </tr>
        </tbody>
      </table>
    </ac:rich-text-body>
  </ac:structured-macro>

```

