

Pre-selecting the smart field choices via Registration Control in a smart way

We use a so called "virtual field" - just an arbitrary field we set up with Registration Control. Why "virtual"? Because the field is not defined on the form via field definition, but is used in rules to "initiate" some action (s) and/or behavior

In this case we call it **virtualField** (could have any name) and our form has a field definition rule to lookup the value for the smart field in another form based on the value (preset) given to this virtual field

Choices

Choice
new option
another
choice 1
another choice

Registrations Controls with preselects

preselecting via virtual field for **choice 1**

My choice

new optionanotherchoice 1another choice

Save

preselecting via virtual field for **another choice**

My choice

new optionanotherchoice 1another choice

Save

Source code for the demo

(formnames have a postfix 1 in their names)

```
<ac:structured-macro ac:macro-id="0641f421-d4d4-4d26-aeb8-52f9dea39393" ac:name="conform" ac:schema-version="1">
  <ac:parameter ac:name="formName">formWithSmartField1</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="5dc30adb-32e5-44cd-9bf7-c6216a52cc39" ac:name="conform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">mychoice</ac:parameter>
        <ac:parameter ac:name="fieldLabel">My choice</ac:parameter>
        <ac:parameter ac:name="values">[29393329|formWithChoices1|choice|true|]</ac:parameter>
        <ac:parameter ac:name="type">smartselect2</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="23712e1c-8018-4a0c-95b4-84d129caf112" ac:name="conform-field-definition-rules" ac:schema-version="1">
```

```

        <ac:parameter ac:name="condition">id:[empty]</ac:parameter>
        <ac:parameter ac:name="fieldName">mychoice=[entry.id]</ac:parameter>
        <ac:parameter ac:name="values">choice:[entry.virtualField]</ac:parameter>
        <ac:parameter ac:name="action">Lookup and set value</ac:parameter>
        <ac:parameter ac:name="actionFieldName"></ac:parameter>
        <ac:parameter ac:name="values2">formWithChoices1:@self</ac:parameter>
    </ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="26e10a88-18a8-4b7a-ac1c-cd5d2b156238" ac:name="confiorm" ac:schema-
version="1">
    <ac:parameter ac:name="formName">formWithChoices1</ac:parameter>
    <ac:rich-text-body>
        <p>
            <ac:structured-macro ac:macro-id="f0555f32-c7c4-4e25-9771-ee612a5b6b92" ac:name="confiorm-field-
definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">choice</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Choice</ac:parameter>
                <ac:parameter ac:name="type">text</ac:parameter>
            </ac:structured-macro>
        </p>
        <ac:structured-macro ac:macro-id="5a34863e-b388-402b-8045-6c9cc844a520" ac:name="confiorm-entry-
register" ac:schema-version="1">
            <ac:parameter ac:name="registrationButtonLabel">Register choice</ac:parameter>
            <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
            <ac:rich-text-body>
                <p>
                    <br/>
                </p>
            </ac:rich-text-body>
        </ac:structured-macro>
    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>Choices</p>
<ac:structured-macro ac:macro-id="3006fb70-1d79-44ae-9663-e80a64c73a62" ac:name="confiorm-table" ac:
schema-version="1">
    <ac:parameter ac:name="formName">formWithChoices1</ac:parameter>
    <ac:rich-text-body>
        <p>
            <br/>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<p>
    <br/>
</p>

<p>Registrations Controls with preselects</p>
<p>preselecting via virtual field for <strong>choice 1</strong>
</p>
<ac:structured-macro ac:macro-id="66951458-49fb-42ae-b7ba-21c9c8998140" ac:name="confiorm-entry-
register" ac:schema-version="1">
    <ac:parameter ac:name="formName">formWithSmartField1</ac:parameter>
    <ac:parameter ac:name="presetValues">virtualField=choice 1</ac:parameter>
    <ac:parameter ac:name="embedded">true</ac:parameter>
    <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
    <ac:rich-text-body>
        <p>
            <br/>
        </p>
    </ac:rich-text-body>

```

```
</ac:structured-macro>
<p>preselecting via virtual field for <strong>another choice</strong>
</p>
<ac:structured-macro ac:macro-id="d798e26e-24ea-445e-91d2-49df9a097089" ac:name="conform-entry-
register" ac:schema-version="1">
  <ac:parameter ac:name="formName">formWithSmartField1</ac:parameter>
  <ac:parameter ac:name="presetValues">virtualField=another choice</ac:parameter>
  <ac:parameter ac:name="embedded">true</ac:parameter>
  <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
  <ac:rich-text-body>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```