

Vendors and Clients - using Charts and TableViewMerger

Form for registering new vendor

For for registering new client

Basic reports

All my clients (in a table)

Name
Client ABC
Client DEF
Client Me

Same as above but as a list (with totally custom layout)

Client ABC *based in* New York, NY
Client DEF *based in* Charlotte, NC
Client Me *based in* Phoenix, AZ


All my vendors (in a table with name and location)

Name	Location
Vendor XYZ	Phoenix, AZ
Vendor QRS	Phoenix, AZ
Vendor YZA	New York, NY
Vendor TUV	Newark, NJ

Vendors per location


Location	Per location
Phoenix, AZ	2
New York, NY	1
Newark, NJ	1

Clients per region



■ New York, NY (1 - 33%)
 ■ Charlotte, NC (1 - 33%)
 ■ Phoenix, AZ (1 - 33%)

Vendors per region



■ Phoenix, AZ (2 - 50%)
 ■ New York, NY (1 - 25%)
 ■ Newark, NJ (1 - 25%)

My client (by name) with all vendors in a custom view (showing only ONE client by filter with custom layout)

Client ABC

Based in: *New York, NY*

Vendors:

Vendor XYZ Vendor QRS

Showing customers who use vendor matching a filter (vendors:*TUV)

- Client DEF



"questionable" reports

- querying through vendors about clients (not directly at least, but through custom views), as we only store one way reference in client table/form. That means: **vendors** form knows nothing about **clients**
- Vendors used by clients (with multiselect fields (we have it for vendors) the reports might be not so flexible, values are appended automatically)

Name

Vendor QRS Vendor XYZ

Vendor TUV Vendor XYZ Vendor YZA

Vendor XYZ

Name

[count]

Vendor QRS Vendor XYZ

1

Vendor TUV Vendor XYZ Vendor YZA

1

Vendor XYZ

1

same as above but with flattened dataset

Name

[count]

Vendor XYZ

3

Vendor QRS

1

Vendor YZA

1

Vendor TUV

1

Name

Name

Vendor QRS Vendor XYZ

Client ABC

Vendor TUV Vendor XYZ Vendor YZA

Client DEF

Vendor XYZ

Client Me

same as above but with flattened dataset

Name	Name
Vendor XYZ	Client ABC
Vendor QRS	Client ABC
Vendor XYZ	Client DEF
Vendor YZA	Client DEF
Vendor TUV	Client DEF
Vendor XYZ	Client Me

vendors.length with Merger table

Name	vendors.asLength
Client ABC	2
Client DEF	3
Client Me	1

as normal table (using special function to count vendors) vendors.length with table view

Name	vendors.asLength
Client ABC	2
Client DEF	3
Client Me	1

same but using [entry_fieldname]

Client ABC with vendors count: 2
 Client DEF with vendors count: 3
 Client Me with vendors count: 1



In current configuration we have not created a form with locations which we can then reuse in both "vendors" and "clients". (this is certainly possible, but to simplify things we have decided to use simple text field)

```
<p>
  <br/>
</p>
<p>Form for registering new vendor</p>
<ac:structured-macro ac:macro-id="bb994003-5fd8-4b26-ae6e-194c55952770" ac:name="conform" ac:schema-version="1">
  <ac:parameter ac:name="formName">vendors</ac:parameter>
  <ac:parameter ac:name="registrationFormTitle">Vendor Registration</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="6319a610-583d-4178-a010-22077286ce98" ac:name="conform-entry-register" ac:schema-version="1">
      <ac:parameter ac:name="restrictions">confluence-administrators</ac:parameter>
      <ac:parameter ac:name="registrationMessage">Vendor has been registered</ac:parameter>
      <ac:parameter ac:name="registrationButtonLabel">Register vendor</ac:parameter>
      <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
      <ac:rich-text-body>
        <p>
```

```

        <br/>
    </p>
</ac:rich-text-body>
</ac:structured-macro>
<p>
    <ac:structured-macro ac:macro-id="61fbc9d3-f429-48c1-a2ca-17fd4e603dd9" ac:name="conform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">name</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Name</ac:parameter>
        <ac:parameter ac:name="type">text</ac:parameter>
    </ac:structured-macro>
</p>
<p>
    <ac:structured-macro ac:macro-id="ed77d301-a7ec-403f-a434-ed04beb4bf3b" ac:name="conform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">location</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Location</ac:parameter>
        <ac:parameter ac:name="type">text</ac:parameter>
    </ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>For for registering new client</p>
<ac:structured-macro ac:macro-id="58ff068d-3f9b-485c-94ee-3f4db286bea9" ac:name="conform" ac:schema-version="
1">
    <ac:parameter ac:name="formName">clients</ac:parameter>
    <ac:parameter ac:name="registrationFormTitle">Client Registration</ac:parameter>
    <ac:rich-text-body>
        <ac:structured-macro ac:macro-id="0589e4d7-d309-4026-a4fd-c715f7d582e9" ac:name="conform-entry-register"
ac:schema-version="1">
            <ac:parameter ac:name="restrictions">confluence-administrators</ac:parameter>
            <ac:parameter ac:name="registrationMessage">Client has been registered</ac:parameter>
            <ac:parameter ac:name="registrationButtonLabel">Register client</ac:parameter>
            <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
            <ac:rich-text-body>
                <p>
                    <br/>
                </p>
            </ac:rich-text-body>
        </ac:structured-macro>
    </p>
    <ac:structured-macro ac:macro-id="c6d962e3-a688-40d4-8f40-470a82797a24" ac:name="conform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">name</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Name</ac:parameter>
        <ac:parameter ac:name="type">text</ac:parameter>
    </ac:structured-macro>
</p>
<p>
    <ac:structured-macro ac:macro-id="b5f8e256-9f50-4088-adc4-aea978efde40" ac:name="conform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">vendors</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Vendors</ac:parameter>
        <ac:parameter ac:name="values">[7045319|vendors|name|true|]</ac:parameter>
        <ac:parameter ac:name="type">smartmultiselect</ac:parameter>
    </ac:structured-macro>
</p>
<p>
    <ac:structured-macro ac:macro-id="f419ce0f-c83f-4114-a4c6-8f2750f2086e" ac:name="conform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">location</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Location</ac:parameter>
        <ac:parameter ac:name="type">text</ac:parameter>
    </ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p>

```

```

    <br/>
</p>
<h2>Basic reports</h2>
<p>All my clients (in a table)</p>
<ac:structured-macro ac:macro-id="c2fccce5-a099-4ba5-8149-501e07feb566" ac:name="confiorm-table" ac:schema-
version="1">
  <ac:parameter ac:name="formName">clients</ac:parameter>
  <ac:parameter ac:name="sort">name ASC</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="b5668abf-3dc3-4e83-812d-6861d1b1d7d4" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">name</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p>
  <br/>
</p>
<p>Same as above but as a list (with totally custom layout)</p>
<ac:structured-macro ac:macro-id="13d8c420-561b-4a09-b5db-d570b8279d5d" ac:name="confiorm-list" ac:schema-
version="1">
  <ac:parameter ac:name="formName">clients</ac:parameter>
  <ac:parameter ac:name="sort">name ASC</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="fae3c914-da7a-4a6f-95bd-2524ab63fd6b" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">name</ac:parameter>
      </ac:structured-macro>
      <em>based in</em> <ac:structured-macro ac:macro-id="542da1b0-a8a1-4611-856e-
f8481e1c45c2" ac:name="confiorm-field" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">location</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p>
  <br/>
</p>
<p>All my vendors (in a table with name and location)</p>
<ac:structured-macro ac:macro-id="439b7ca6-49ed-47b6-b06f-db65d7b6eab7" ac:name="confiorm-table" ac:schema-
version="1">
  <ac:parameter ac:name="formName">vendors</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="6797eba5-6923-4a45-982c-b9666d40595f" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">name</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="3233a8a6-35a5-4b8a-a311-12bbe6c5c10b" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">location</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p>
  <br/>
</p>
<p>Vendors per location</p>
<ac:structured-macro ac:macro-id="f254a30d-a805-4fba-a712-300ad10cc52e" ac:name="confiorm-table-merger" ac:
schema-version="1">
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="1c6bbd2a-3031-45eb-a1a6-4a6cb6c20111" ac:name="confiorm-table" ac:schema-
version="1">
      <ac:parameter ac:name="formName">vendors</ac:parameter>
    <ac:rich-text-body>
      <p>
        <br/>

```

```

        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <ac:structured-macro ac:macro-id="e0b6eee9-1d3e-4130-a051-b74e7b028c5f" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">location</ac:parameter>
    </ac:structured-macro>
</p>
<p>
    <ac:structured-macro ac:macro-id="19a9b9e3-d818-4491-a2a2-6769b3ca451e" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="overrideLabel">Per location</ac:parameter>
        <ac:parameter ac:name="fieldName">Per location:[count]</ac:parameter>
    </ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p>Clients per region</p>
<ac:structured-macro ac:macro-id="289ebf9c-08b0-41a7-9a59-70c6358c3560" ac:name="chart" ac:schema-version="1">
    <ac:parameter ac:name="dataOrientation">vertical</ac:parameter>
    <ac:rich-text-body>
        <ac:structured-macro ac:macro-id="e456344d-8ced-4099-a266-f3290424956f" ac:name="confiorm-table-merger" ac:
schema-version="1">
            <ac:rich-text-body>
                <ac:structured-macro ac:macro-id="b26671b7-42b4-49d3-93de-0aa53556cddc" ac:name="confiorm-table" ac:
schema-version="1">
                    <ac:parameter ac:name="formName">clients</ac:parameter>
                    <ac:rich-text-body>
                        <p>
                            <br/>
                        </p>
                    </ac:rich-text-body>
                </ac:structured-macro>
            <p>
                <ac:structured-macro ac:macro-id="b8d28cfd-464d-4cba-aaf6-17aa5e9afe5c" ac:name="confiorm-field" ac:
schema-version="1">
                    <ac:parameter ac:name="fieldName">location</ac:parameter>
                </ac:structured-macro>
            </p>
            <p>
                <ac:structured-macro ac:macro-id="88ea06ee-e4de-430c-a5bd-7d675aea4413" ac:name="confiorm-field" ac:
schema-version="1">
                    <ac:parameter ac:name="overrideLabel">Per location</ac:parameter>
                    <ac:parameter ac:name="fieldName">Per location:[count]</ac:parameter>
                </ac:structured-macro>
            </p>
        </ac:rich-text-body>
    </ac:structured-macro>
</ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>Vendors per region</p>
<ac:structured-macro ac:macro-id="2619fc1b-02ee-42e9-81b6-62d8e5dc3485" ac:name="chart" ac:schema-version="1">
    <ac:parameter ac:name="dataOrientation">vertical</ac:parameter>
    <ac:rich-text-body>
        <ac:structured-macro ac:macro-id="8ee7d13c-69fe-4573-ba83-119ea9383a4e" ac:name="confiorm-table-merger" ac:
schema-version="1">
            <ac:rich-text-body>
                <ac:structured-macro ac:macro-id="e3e14b45-ce59-4f3c-a979-6dac2d2f2304" ac:name="confiorm-table" ac:
schema-version="1">
                    <ac:parameter ac:name="formName">vendors</ac:parameter>
                    <ac:rich-text-body>
                        <p>
                            <br/>
                        </p>
                    </ac:rich-text-body>
                </ac:structured-macro>
            <p>

```

```

        <ac:structured-macro ac:macro-id="24c6819c-1bbe-424e-a2ab-38bf860addca" ac:name="confiorm-field" ac:
schema-version="1">
            <ac:parameter ac:name="fieldName">location</ac:parameter>
        </ac:structured-macro>
    </p>
    <p>
        <ac:structured-macro ac:macro-id="20f87053-b3d1-4148-973a-848f767eac22" ac:name="confiorm-field" ac:
schema-version="1">
            <ac:parameter ac:name="overrideLabel">Per location</ac:parameter>
            <ac:parameter ac:name="fieldName">Per location:[count]</ac:parameter>
        </ac:structured-macro>
    </p>
</ac:rich-text-body>
</ac:structured-macro>
</ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<p>My client (by name) with all vendors in a custom view (showing only ONE client by filter with custom layout)<
/p>
<p>
    <br/>
</p>
<ac:structured-macro ac:macro-id="3b459e32-fe94-4284-9b54-7f10544e2b02" ac:name="confiorm-list" ac:schema-
version="1">
    <ac:parameter ac:name="filter">name:*ABC</ac:parameter>
    <ac:parameter ac:name="formName">clients</ac:parameter>
    <ac:rich-text-body>
        <h3>
            <ac:structured-macro ac:macro-id="c1d10fd8-6240-4487-b82f-18b6e9912ba0" ac:name="confiorm-field" ac:
schema-version="1">
                <ac:parameter ac:name="fieldName">name</ac:parameter>
            </ac:structured-macro>
        </h3>
        <p>Based in: <em>
            <ac:structured-macro ac:macro-id="7e639974-0b3f-4354-9798-18a00224b8d8" ac:name="confiorm-field" ac:
schema-version="1">
                <ac:parameter ac:name="fieldName">location</ac:parameter>
            </ac:structured-macro>
        </em>
        </p>
        <p>Vendors:</p>
        <p>
            <ac:structured-macro ac:macro-id="a35dfaab-8fb5-46e9-9f9d-e8248d617420" ac:name="confiorm-field" ac:
schema-version="1">
                <ac:parameter ac:name="fieldName">vendors</ac:parameter>
            </ac:structured-macro>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>Showing customers who use vendor matching a filter (vendors:*TUV)</p>
<ac:structured-macro ac:macro-id="fa50d4c5-7b32-4bd6-9102-dff112b8bf25" ac:name="confiorm-list" ac:schema-
version="1">
    <ac:parameter ac:name="filter">vendors:*TUV</ac:parameter>
    <ac:parameter ac:name="formName">clients</ac:parameter>
    <ac:rich-text-body>
        <ul>
            <li>
                <ac:structured-macro ac:macro-id="e21ca380-e4b0-4d96-b571-ea3c10350185" ac:name="confiorm-field" ac:
schema-version="1">
                    <ac:parameter ac:name="fieldName">name</ac:parameter>
                </ac:structured-macro>
            </li>
        </ul>
    </ac:rich-text-body>
</ac:structured-macro>

```

```

    </ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<p>
    <br/>
</p>
<ac:structured-macro ac:macro-id="325acf1e-a5f6-453b-9f5c-29967e8895e1" ac:name="warning" ac:schema-version="1">
    <ac:rich-text-body>
        <p>
            <strong>"questionable" reports</strong>
        </p>
        <ul style="list-style-type: square;">
            <li>querying through vendors about clients (not directly at least, but through custom views), as we only
store one way reference in client table/form. That means: <strong>vendors</strong> form knows nothing about
<strong>clients</strong>
            </li>
        </ul>
        <ul>
            <li>Vendors used by clients (with multiselect fields (we have it for vendors) the reports might be not so
flexible, values are appended automatically)</li>
        </ul>
        <ac:structured-macro ac:macro-id="c7816c28-69c3-439b-8620-62c23944cc95" ac:name="confiorm-table-merger" ac:
schema-version="1">
            <ac:rich-text-body>
                <ac:structured-macro ac:macro-id="534e890f-762c-4a16-8bf9-de7dec2cc107" ac:name="confiorm-table" ac:
schema-version="1">
                    <ac:parameter ac:name="formName">clients</ac:parameter>
                    <ac:rich-text-body>
                        <p>
                            <br/>
                        </p>
                    </ac:rich-text-body>
                </ac:structured-macro>
            <p>
                <ac:structured-macro ac:macro-id="7c23e3b3-d608-4cb3-aa80-4a5ed9f4a26a" ac:name="confiorm-field" ac:
schema-version="1">
                    <ac:parameter ac:name="fieldName">vendors.name</ac:parameter>
                    </ac:structured-macro>
                </p>
            </ac:rich-text-body>
        </ac:structured-macro>
        <ac:structured-macro ac:macro-id="551605e6-8594-4ef3-8e38-5532b4a834aa" ac:name="confiorm-table-merger" ac:
schema-version="1">
            <ac:rich-text-body>
                <ac:structured-macro ac:macro-id="dc2e7588-642b-4d1b-b2c2-f814a82b179e" ac:name="confiorm-table" ac:
schema-version="1">
                    <ac:parameter ac:name="formName">clients</ac:parameter>
                    <ac:rich-text-body>
                        <p>
                            <br/>
                        </p>
                    </ac:rich-text-body>
                </ac:structured-macro>
            <p>
                <ac:structured-macro ac:macro-id="b7ca2d4b-8bd5-4ed2-9c9d-fbf683f09a0f" ac:name="confiorm-field" ac:
schema-version="1">
                    <ac:parameter ac:name="fieldName">vendors.name</ac:parameter>
                    </ac:structured-macro>
                </p>
            </div>

```

```

        <ac:structured-macro ac:macro-id="870d5eed-221c-4cb7-a43f-50cdf03ad087" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">[count]</ac:parameter>
        </ac:structured-macro>
    </div>
</ac:rich-text-body>
</ac:structured-macro>
<p>same as above but with flattened dataset</p>
<ac:structured-macro ac:macro-id="e3b1d72f-cdbc-49ab-9c25-1398bda0d08e" ac:name="confiorm-table-merger" ac:
schema-version="1">
    <ac:parameter ac:name="flattenEntries">true</ac:parameter>
    <ac:rich-text-body>
        <ac:structured-macro ac:macro-id="c4602ead-6454-4ff9-8b27-6d89b6c2310f" ac:name="confiorm-table" ac:
schema-version="1">
            <ac:parameter ac:name="formName">clients</ac:parameter>
            <ac:rich-text-body>
                <p>
                    <br/>
                </p>
            </ac:rich-text-body>
        </ac:structured-macro>
        <p>
            <ac:structured-macro ac:macro-id="2426f850-5278-4ac8-a733-5a94ccf408f4" ac:name="confiorm-field" ac:
schema-version="1">
                <ac:parameter ac:name="fieldName">vendors.name</ac:parameter>
            </ac:structured-macro>
        </p>
    </div>
        <ac:structured-macro ac:macro-id="bb8e9b82-7004-451b-a973-06c3545a976e" ac:name="confiorm-field" ac:
schema-version="1">
            <ac:parameter ac:name="fieldName">[count]</ac:parameter>
        </ac:structured-macro>
    </div>
</ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="bb35003b-e718-46a7-908b-ae2f5602ca3a" ac:name="confiorm-table-merger" ac:
schema-version="1">
    <ac:rich-text-body>
        <ac:structured-macro ac:macro-id="89f71a16-ab20-4947-86fd-05d3824352a9" ac:name="confiorm-table" ac:
schema-version="1">
            <ac:parameter ac:name="formName">clients</ac:parameter>
            <ac:rich-text-body>
                <p>
                    <br/>
                </p>
            </ac:rich-text-body>
        </ac:structured-macro>
        <p>
            <ac:structured-macro ac:macro-id="aff4cedb-a695-4915-8433-a4472326650f" ac:name="confiorm-field" ac:
schema-version="1">
                <ac:parameter ac:name="fieldName">vendors.name</ac:parameter>
            </ac:structured-macro>
        </p>
    </div>
        <ac:structured-macro ac:macro-id="5643b408-8f58-4a98-95f5-6f2adf852ff8" ac:name="confiorm-field" ac:
schema-version="1">
            <ac:parameter ac:name="fieldName">name</ac:parameter>
        </ac:structured-macro>
    </div>
</ac:rich-text-body>
</ac:structured-macro>
<p>same as above but with flattened dataset</p>
<ac:structured-macro ac:macro-id="648b04ad-21b6-4f8b-97df-0a082d2c90a1" ac:name="confiorm-table-merger" ac:
schema-version="1">
    <ac:parameter ac:name="flattenEntries">true</ac:parameter>
    <ac:rich-text-body>
        <ac:structured-macro ac:macro-id="c2332792-2361-4c70-a794-b7a5a4f4372a" ac:name="confiorm-table" ac:
schema-version="1">
            <ac:parameter ac:name="formName">clients</ac:parameter>
            <ac:rich-text-body>
                <p>

```

```

        <br/>
    </p>
</ac:rich-text-body>
</ac:structured-macro>
<p>
    <ac:structured-macro ac:macro-id="0e9c2725-301e-4ce2-a689-e130e29b5efb" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">vendors.name</ac:parameter>
    </ac:structured-macro>
</p>
<p>
    <ac:structured-macro ac:macro-id="79b82c28-d0ba-4b59-8617-3f160e17c0da" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">name</ac:parameter>
    </ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p>
    <br/>
</p>
<p>vendors.length with Merger table</p>
<ac:structured-macro ac:macro-id="8d547eab-e9d3-4dfd-ada2-cd3d222b6045" ac:name="confiorm-table-merger" ac:
schema-version="1">
    <ac:rich-text-body>
        <ac:structured-macro ac:macro-id="fbaf017c-9057-4b43-b688-16f9336d269e" ac:name="confiorm-table" ac:
schema-version="1">
            <ac:parameter ac:name="formName">clients</ac:parameter>
            <ac:rich-text-body>
                <p>
                    <br/>
                </p>
            </ac:rich-text-body>
        </ac:structured-macro>
    <p>
        <br/>
        <ac:structured-macro ac:macro-id="2ddd6690-8112-4e09-a454-2a4b0a829856" ac:name="confiorm-field" ac:
schema-version="1">
            <ac:parameter ac:name="fieldName">name</ac:parameter>
        </ac:structured-macro>
    </p>
    <p>
        <ac:structured-macro ac:macro-id="0d7d34a8-d024-441d-a5db-7e166ecf8f49" ac:name="confiorm-field" ac:
schema-version="1">
            <ac:parameter ac:name="overrideLabel">vendors.asLength</ac:parameter>
            <ac:parameter ac:name="fieldName">vendors.asLength</ac:parameter>
        </ac:structured-macro>
    </p>
</ac:rich-text-body>
</ac:structured-macro>
<p>as normal table (using special function to count vendors) vendors.length with table view</p>
<ac:structured-macro ac:macro-id="3ab16904-04e4-43a0-85dd-5a4ee813ec70" ac:name="confiorm-table" ac:schema-
version="1">
    <ac:parameter ac:name="formName">clients</ac:parameter>
    <ac:rich-text-body>
        <p> <ac:structured-macro ac:macro-id="d310405f-4085-4a24-bb39-9126d2c31f16" ac:name="confiorm-field"
ac:schema-version="1">
            <ac:parameter ac:name="fieldName">name</ac:parameter>
        </ac:structured-macro>
    </p>
    <p>
        <ac:structured-macro ac:macro-id="d8ee7cfd-cd62-4594-934c-63cd27baaa1c" ac:name="confiorm-field" ac:
schema-version="1">
            <ac:parameter ac:name="overrideLabel">vendors.asLength</ac:parameter>
            <ac:parameter ac:name="fieldName">vendors.asLength</ac:parameter>
        </ac:structured-macro>
    </p>
</ac:rich-text-body>
</ac:structured-macro>
<p>same but using [entry_fieldname]</p>
<ac:structured-macro ac:macro-id="dc4dfb84-3444-4856-92de-1b2bda6ba8b9" ac:name="confiorm-list" ac:schema-

```

```
version="1">
  <ac:parameter ac:name="formName">clients</ac:parameter>
  <ac:rich-text-body>
    <p>[entry.name] with vendors count: [entry.vendors.asCount]</p>
  </ac:rich-text-body>
</ac:structured-macro>
</ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="a5f431c6-771a-4993-b414-58f0194050fc" ac:name="info" ac:schema-version="1">
  <ac:rich-text-body>
    <p>In current configuration we have not created a form with locations which we can then reuse in both
"vendors" and "clients". (this is certainly possible, but to simplify things we have decided to use simple text
field)</p>
  </ac:rich-text-body>
</ac:structured-macro>
<p>
  <br/>
</p>
<p>
  <br/>
</p>
```