

Simple form with custom registration layout and field rules to show and hide the fields

Storage format

```
<ac:structured-macro ac:macro-id="9b8c56f3-ab8a-4e36-b893-0512a8cfcc26" ac:name="confiform" ac:schema-version="1">
    <ac:parameter ac:name="formName">f1</ac:parameter>
    <ac:rich-text-body>
        <p>
            <ac:structured-macro ac:macro-id="b7624ab2-b41b-4606-827b-7b3f3cb31082" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">requestType</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Request Type</ac:parameter>
                <ac:parameter ac:name="values">false[1=User Access|2=Something else]</ac:parameter>
                <ac:parameter ac:name="type">select</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="eb52e00f-5f96-46bb-bbd2-e5e228d199d2" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">accessType</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Access Type</ac:parameter>
                <ac:parameter ac:name="values">false[1=Role Access|2=Special Access]</ac:parameter>
                <ac:parameter ac:name="type">checkbox_group</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="5741efef5-fc29-4c2b-a3a4-36e28b38ad50" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">asap</ac:parameter>
                <ac:parameter ac:name="fieldLabel">ASAP</ac:parameter>
                <ac:parameter ac:name="type">checkbox</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="e7f181d6-600f-4032-af77-26e2418d9950" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">duedate</ac:parameter>
                <ac:parameter ac:name="fieldLabel">due Date</ac:parameter>
                <ac:parameter ac:name="type">date</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="c12b072c-7b93-4bcf-b14f-ccd6d13748ec" ac:name="confiform-field-definition-rules" ac:schema-version="1">
                <ac:parameter ac:name="condition">requestType:1</ac:parameter>
                <ac:parameter ac:name="fieldName">accessType</ac:parameter>
                <ac:parameter ac:name="action">Show field</ac:parameter>
                <ac:parameter ac:name="actionFieldName">requestType</ac:parameter>
                <ac:parameter ac:name="withReverseRule">true</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="e2086d79-c9ab-46ee-9e75-dd5ae4615bc0" ac:name="confiform-field-definition-rules" ac:schema-version="1">
                <ac:parameter ac:name="condition">asap:true</ac:parameter>
                <ac:parameter ac:name="fieldName">duedate</ac:parameter>
                <ac:parameter ac:name="action">Hide field</ac:parameter>
                <ac:parameter ac:name="onUserActionOnly">true</ac:parameter>
                <ac:parameter ac:name="actionFieldName">asap</ac:parameter>
                <ac:parameter ac:name="withReverseRule">true</ac:parameter>
            </ac:structured-macro>
        </p>
    </ac:rich-text-body>
```

```

</ac:structured-macro>
<p>
<ac:structured-macro ac:macro-id="c60537de-0677-423b-b5eb-11802c4388a8" ac:name="confiform-entry-register" ac:schema-version="1">
<ac:parameter ac:name="formName">f1</ac:parameter>
<ac:parameter ac:name="embedded">true</ac:parameter>
<ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
<ac:rich-text-body>
<table>
<tbody>
<tr>
<td>Request</td>
<td>
<p>
<ac:structured-macro ac:macro-id="b66557d4-a5f4-4d35-bd8f-3f5cbf326e01" ac:name="confiform-field" ac:schema-version="1">
<ac:parameter ac:name="fieldName">requestType</ac:parameter>
</ac:structured-macro>
</p>
<p>
<ac:structured-macro ac:macro-id="ce6e8e92-1dec-46e7-9f33-a289e7fbebc7" ac:name="confiform-field" ac:schema-version="1">
<ac:parameter ac:name="fieldName">accessType</ac:parameter>
<ac:parameter ac:name="withLabel">true</ac:parameter>
</ac:structured-macro>
</p>
</td>
</tr>
<tr>
<td>When</td>
<td>
<p>
<ac:structured-macro ac:macro-id="cb7b2293-91ec-43df-8144-ae38402a255e" ac:name="confiform-field" ac:schema-version="1">
<ac:parameter ac:name="fieldName">asap</ac:parameter>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="lbe799a6-83cc-485d-9588-e1dd4eb37eba" ac:name="confiform-field" ac:schema-version="1">
<ac:parameter ac:name="css">min-width:200px; width:200px</ac:parameter>
<ac:parameter ac:name="fieldName">duedate</ac:parameter>
</ac:structured-macro>
</p>
</td>
</tr>
<tr>
<td> </td>
<td> </td>
</tr>
</tbody>
</table>
</ac:rich-text-body>
</ac:structured-macro>
</p>

```