

form to lookup and preset values from existing record by user

How it looks like in Confluence editor

The screenshot shows the Confluence editor interface with a 'ConfiForms Form Definition' panel. Inside, there are four 'ConfiForms Form Field Definition' items, each with a 'fieldName' value: 'answer1', 'answer2', 'answer3', and 'answer4'. Below these is a 'ConfiForms Rules for Field Definition' item with a condition 'id:[empty]' and an action 'Lookup'.

On the right side of the editor, there is a vertical toolbar with several buttons:

- Edit**: A large button at the top.
- Condition**: A button below 'Edit'.
- Action**: A button below 'Condition'.
- Validation**: A button below 'Action'.
- Execution**: A button below 'Validation'.
- Lookup**: A button below 'Execution'.
- Select**: A button below 'Lookup'.

Parameters for Rule

```
entryId=[entry.id]&answer1=[entry.answer1]&answer2=[entry.answer2]&answer3=[entry.answer3]&answer4=[entry.answer4]
```

Please note that when you see this demo as anonymous user and this will not work for you as designed - copy the storage format to your Confluence server in order to see how it works

Answer1

Answer2

Answer3

Answer4

Save

Storage format

```
<ac:structured-macro ac:macro-id="a0ae2d3f-839b-47e1-889a-812cc57fc819" ac:name="confiform" ac:schema-version="1">
    <ac:parameter ac:name="formName">f1</ac:parameter>
    <ac:rich-text-body>
        <p>
            <ac:structured-macro ac:macro-id="8e15928d-197f-478d-bbe2-98b3934b9337" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">answer1</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Answer1</ac:parameter>
                <ac:parameter ac:name="type">checkbox</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="74eb2abf-48db-4ac2-a83f-06c8add859a8" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">answer2</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Answer2</ac:parameter>
                <ac:parameter ac:name="type">checkbox</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="5c5affd2-aed3-4187-bfbd-2b0766304009" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">answer3</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Answer3</ac:parameter>
                <ac:parameter ac:name="type">checkbox</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="abd6fcc4-7584-4b29-b21b-3dc5438a554b" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">answer4</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Answer4</ac:parameter>
                <ac:parameter ac:name="type">checkbox</ac:parameter>
            </ac:structured-macro>
        </p>
        <br/>
        <p>
            <ac:structured-macro ac:macro-id="bf7ece6d-1cb2-48e9-9c3c-bcf223ec45d7" ac:name="confiform-field-definition-rules" ac:schema-version="1">
                <ac:parameter ac:name="condition">id:[empty]</ac:parameter>
                <ac:parameter ac:name="fieldName">entryId=[entry.id]&answer1=[entry.answer1]&answer2=[entry.answer2]&answer3=[entry.answer3]&answer4=[entry.answer4]</ac:parameter>
                <ac:parameter ac:name="values">createdBy:[entry._user]</ac:parameter>
                <ac:parameter ac:name="action">Lookup and set value</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <br/>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
```

