

Simple form with custom registration layout and field rules to show and hide the fields

Storage format

```
<ac:structured-macro ac:macro-id="9b8c56f3-ab8a-4e36-b893-0512a8cfcc26" ac:name="confiform" ac:schema-version="1">
  <ac:parameter ac:name="formName">f1</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="b7624ab2-b41b-4606-827b-7b3f3cb31082" ac:name="confiform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">requestType</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Request Type</ac:parameter>
        <ac:parameter ac:name="values">>false[1=User Access|2=Something else|]</ac:parameter>
        <ac:parameter ac:name="type">select</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="eb52e00f-5f96-46bb-bbd2-e5e228d199d2" ac:name="confiform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">accessType</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Access Type</ac:parameter>
        <ac:parameter ac:name="values">>false[1=Role Access|2=Special Access|]</ac:parameter>
        <ac:parameter ac:name="type">checkbox_group</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="5741efe5-fc29-4c2b-a3a4-36e28b38ad50" ac:name="confiform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">asap</ac:parameter>
        <ac:parameter ac:name="fieldLabel">ASAP</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="e7f181d6-600f-4032-af77-26e2418d9950" ac:name="confiform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">duedate</ac:parameter>
        <ac:parameter ac:name="fieldLabel">due Date</ac:parameter>
        <ac:parameter ac:name="type">date</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="c12b072c-7b93-4bcf-b14f-ccd6d13748ec" ac:name="confiform-field-definition-rules" ac:schema-version="1">
        <ac:parameter ac:name="condition">requestType:1</ac:parameter>
        <ac:parameter ac:name="fieldName">accessType</ac:parameter>
        <ac:parameter ac:name="action">Show field</ac:parameter>
        <ac:parameter ac:name="actionFieldName">requestType</ac:parameter>
        <ac:parameter ac:name="withReverseRule">>true</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="e2086d79-c9ab-46ee-9e75-dd5ae4615bc0" ac:name="confiform-field-definition-rules" ac:schema-version="1">
        <ac:parameter ac:name="condition">asap:true</ac:parameter>
        <ac:parameter ac:name="fieldName">duedate</ac:parameter>
        <ac:parameter ac:name="action">Hide field</ac:parameter>
        <ac:parameter ac:name="onUserActionOnly">>true</ac:parameter>
        <ac:parameter ac:name="actionFieldName">asap</ac:parameter>
        <ac:parameter ac:name="withReverseRule">>true</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```

```
<p>
  <ac:structured-macro ac:macro-id="c60537de-0677-423b-b5eb-11802c4388a8" ac:name="confiform-entry-register" ac:
schema-version="1">
  <ac:parameter ac:name="formName">f1</ac:parameter>
  <ac:parameter ac:name="embedded">true</ac:parameter>
  <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
  <ac:rich-text-body>
    <table>
      <tbody>
        <tr>
          <td>Request</td>
          <td>
            <p>
              <ac:structured-macro ac:macro-id="b66557d4-a5f4-4d35-bd8f-3f5cbf326e01" ac:name="confiform-
field" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">requestType</ac:parameter>
              </ac:structured-macro>
            </p>
            <p>
              <ac:structured-macro ac:macro-id="ce6e8e92-1dec-46e7-9f33-a289e7fbec7" ac:name="confiform-
field" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">accessType</ac:parameter>
                <ac:parameter ac:name="withLabel">true</ac:parameter>
              </ac:structured-macro>
            </p>
          </td>
        </tr>
        <tr>
          <td>When</td>
          <td>
            <p>
              <ac:structured-macro ac:macro-id="cb7b2293-91ec-43df-8144-ae38402a255e" ac:name="confiform-
field" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">asap</ac:parameter>
              </ac:structured-macro>
            <ac:structured-macro ac:macro-id="1be799a6-83cc-485d-9588-eldd4eb37eba" ac:name="confiform-
field" ac:schema-version="1">
              <ac:parameter ac:name="css">min-width:200px;width:200px</ac:parameter>
              <ac:parameter ac:name="fieldName">duedate</ac:parameter>
            </ac:structured-macro>
            </p>
          </td>
        </tr>
        <tr>
          <td> </td>
          <td> </td>
        </tr>
      </tbody>
    </table>
  </ac:rich-text-body>
</ac:structured-macro>
</p>
```