

# Mixing up ConfiForms ListView and Content by Label macro

Demonstrating the use of ConfiForms ListView macro together with built-in Confluence macro called "Content by Label"

data in the form

label

---

confiforms

---

core

---

Content by label (dynamic)

## confiforms

- [Feature set \(ConfiForms\)](#)
  - [confiforms](#)
- [ConfiForms app detailed view over the plugin macros \(ConfiForms\)](#)
  - [confiforms](#)
  - [basics](#)
- [ConfiForms app simplified view of macros \(ConfiForms\)](#)
  - [basics](#)
  - [confiforms](#)
- [Working with database fields in ConfiForms \(ConfiForms\)](#)
  - [dbfields](#)
  - [confiforms](#)
- [ConfiForms Field Types \(ConfiForms\)](#)
  - [core](#)
  - [confiforms](#)
- [Configuring ConfiForms IFTTT actions and rules \(ConfiForms\)](#)
  - [core](#)
  - [confiforms](#)
- [ConfiForms Field Definition Rules \(ConfiForms\)](#)
  - [core](#)
  - [confiforms](#)
- [Tutorials \(ConfiForms\)](#)
  - [forms](#)
  - [confiforms](#)
  - [confluence](#)
- [Another example of TableView Merger usage \(ConfiForms\)](#)
  - [tableview-merger](#)
  - [advanced](#)
  - [confiforms](#)
- [Advanced aggregations and calculations with TableView Merger \(ConfiForms\)](#)
  - [tableview-merger](#)
  - [confiforms](#)
  - [advanced](#)
- [Multiple ways to show your form data in Confluence with ConfiForms \(ConfiForms\)](#)
  - [confiforms](#)
  - [core](#)
  - [basics](#)
- [ConfiForms app for creating forms in Confluence \(ConfiForms\)](#)
  - [confiforms](#)
  - [forms](#)
  - [confluence](#)
- [Release Notes \(ConfiForms\)](#)
  - [confiforms](#)
  - [releases](#)
- [Accessing field values and properties \(ConfiForms\)](#)
  - [filters](#)

- [properties](#)
- [confiforms](#)
- [core](#)
- [basics](#)
- [Documentation \(ConfiForms\)](#)
  - [confiforms](#)
  - [basics](#)
  - [forms](#)
  - [confluence](#)

## core

- [ConfiForms Field Types \(ConfiForms\)](#)
  - [core](#)
  - [confiforms](#)
- [Configuring ConfiForms IFTTT actions and rules \(ConfiForms\)](#)
  - [core](#)
  - [confiforms](#)
- [ConfiForms Field Definition Rules \(ConfiForms\)](#)
  - [core](#)
  - [confiforms](#)
- [Multiple ways to show your form data in Confluence with ConfiForms \(ConfiForms\)](#)
  - [confiforms](#)
  - [core](#)
  - [basics](#)
- [Virtual functions \(ConfiForms\)](#)
  - [properties](#)
  - [functions](#)
  - [core](#)
  - [basics](#)
- [Accessing field values and properties \(ConfiForms\)](#)
  - [filters](#)
  - [properties](#)
  - [confiforms](#)
  - [core](#)
  - [basics](#)

You will need Storage format editor add-on to work with this code and to configure ContentByLabel macro (could not do it via UI)

```
<ac:structured-macro ac:macro-id="31b1d8d1-ae8c-44e2-a0b3-c9703b5calc0" ac:name="confiform" ac:schema-
version="1">
  <ac:parameter ac:name="formName">f1</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="967df302-5311-40e2-89b8-9238c82197b8" ac:name="confiform-entry-
register" ac:schema-version="1">
        <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
        <ac:rich-text-body>
          <p> </p>
        </ac:rich-text-body>
      </ac:structured-macro>
      <ac:structured-macro ac:macro-id="c3cfd7c4-171d-4ef9-ad48-e120db44e9d0" ac:name="confiform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">label</ac:parameter>
        <ac:parameter ac:name="fieldLabel">label</ac:parameter>
        <ac:parameter ac:name="type">text</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p> </p>
<p>Content by label (dynamic)</p>
<ac:structured-macro ac:macro-id="2b8229f8-db2f-43e4-9c75-a32dca15b246" ac:name="confiform-list" ac:schema-
version="1">
  <ac:parameter ac:name="formName">f1</ac:parameter>
  <ac:rich-text-body>
    <h2>
      <ac:structured-macro ac:macro-id="7561129d-fe01-4cbd-ad12-5b3e0f08e419" ac:name="confiform-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">label</ac:parameter>
      </ac:structured-macro>
    </h2>
    <p>
      <ac:structured-macro ac:macro-id="e896d359-d0cb-4231-9bb1-2a9e4c83e9f5" ac:name="contentbylabel" ac:
schema-version="2">
        <ac:parameter ac:name="cql">label = "[entry.label]"</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```