

# Documentation

Documentation for the ConfiDoc Plugin for Confluence

 See also [tutorials](#) for easy to follow examples on how to use ConfiDoc in different scenarios

<p>TableView: <i>confidoc-table</i></p> <p>ListView: <i>confidoc-list</i></p> <p>CardView: <i>confidoc-card</i></p>	<p><b>The confidoc-table, confidoc-list, and confidoc-card macros</b> are used to present the REST service content (or RSS, CSV, XML) as a table, list (WYSIWYG), or card, each with filtering and data sorting/ordering.</p>		
	<b>Name of the service</b>	serviceId	Services are defined by the Confluence administrator using the plugin's configuration screen
	<b>Root element</b>	root	Apply additional filters to the returned JSON data using field names as inputs
	<b>Sorting /Ordering</b>	sort	See examples below
	<b>Filter</b>	filter	Apply a filter on returned data; see examples below
	<b>Cache resources locally</b>	useCache	Request results can be stored locally in the Confluence cache in order to improve page loading times and to reduce the number of requests to external servers; default local cache duration is 30 minutes
	<b>Show service configuration dialog</b>	enableLookup	Users will be able to configure their own parameters for a configured service request
	<b>Define configuration parameters</b>	lookupLabels	Define labels for the configuration dialog using key-value pairs, separated by "&" (as in URL notation), where <u>key</u> is the parameter name, and <u>value</u> is the text to be used as the label
	<b>Caption for configuration button</b>	lookupBtnLabel	Provide a helpful pointer under the configuration dialog submit button
<b>Set HTML element ID</b>	elementId	Useful, when you want to have a predictable and constant element id in HTML for generated content. <b>Important: "_viewport" will be added to the name</b>	

ConfiDoc Field  <i>confidoc-field</i>	This macro defines a field to display returned data within the ConfiDoc TableView or ListView macros.	
<b>Field name</b>	name	The name of the field in the returned data to be displayed by the TableView or ListView macros
<b>Field label</b>	label	The label for the field to be displayed inside the table or list
<b>Field type</b>	type	Choose the field type from these supported formats: <ul style="list-style-type: none"> <li>• Link</li> <li>• Date</li> <li>• Number</li> <li>• Image</li> <li>• 'as-is' (blank: the value will be shown without transformation)</li> </ul>
<b>Input format</b>	inputFormat	Define the format in a returned data field in order to reformat using <b>Output format</b> (below), for example, to transform returned date values into more readable form
<b>Output format</b>	outputFormat	Define the transformation rules for Output to be applied to data in the <b>Input format</b> (above)
<b>CSS</b>	css	Define CSS rules to be applied on returned data in a rendered field
<b>Access control</b>	restrictions	Control access to this field with a comma-separated list of group- or user names; leave blank if there are no restrictions
<b>Set HTML element ID</b>	elementId	Useful, when you want to have a predictable and constant element id in HTML for generated content

<p>ConfiDoc Excerpt</p> <p><i>confidoc-excerpt</i></p>	<p>Use this macro to include in the Confluence page the HTML or binary content (such as images) from an external webserver</p> <table border="1" data-bbox="289 180 1484 1512"> <tr> <td data-bbox="289 180 509 258"><b>Name of the service</b></td> <td data-bbox="509 180 618 258">serviceld</td> <td data-bbox="618 180 1484 258">Services are defined by Confluence administrators with the ConfiDoc plugin configuration</td> </tr> <tr> <td data-bbox="289 258 509 422"><b>Selector</b></td> <td data-bbox="509 258 618 422">root</td> <td data-bbox="618 258 1484 422"> <p>A CSS-like selector, but limited to a form: element attribute="value".</p> <p>To select elements by name, give the element's name; for example: <b>div</b> will select all the divs in the page</p> <p>To select all <b>div</b> elements in the page with the <u>myclass</u> class name, use: <b>div class="myclass"</b></p> </td> </tr> <tr> <td data-bbox="289 422 509 602"><b>Download and cache resources locally</b></td> <td data-bbox="509 422 618 602">download Resources</td> <td data-bbox="618 422 1484 602"> <p>You can:</p> <ul style="list-style-type: none"> <li>• leave links to external resources "as is"</li> <li>• download external resources (such as images) to the Confluence server and adds them as attachments to the page</li> <li>• proxy external resources though local proxy</li> </ul> </td> </tr> <tr> <td data-bbox="289 602 509 680"><b>Cache resources locally</b></td> <td data-bbox="509 602 618 680">useCache</td> <td data-bbox="618 602 1484 680">Store requests locally in the Confluence cache to improve page-loading times and to reduce the number of requests to external servers (default cache duration is 30 minutes)</td> </tr> <tr> <td data-bbox="289 680 509 745"><b>Content Type</b></td> <td data-bbox="509 680 618 745">contentT ype</td> <td data-bbox="618 680 1484 745">Force ConfiDoc to use the given content type</td> </tr> <tr> <td data-bbox="289 745 509 823"><b>Custom CSS styles</b></td> <td data-bbox="509 745 618 823">css</td> <td data-bbox="618 745 1484 823">Custom CSS rules to apply on the rendered element</td> </tr> <tr> <td data-bbox="289 823 509 1066"><b>Include as</b></td> <td data-bbox="509 823 618 1066">type</td> <td data-bbox="618 823 1484 1066"> <p>This option provides a way to control how the macro outputs the returned data. Available types include:</p> <ul style="list-style-type: none"> <li>• Link</li> <li>• Date</li> <li>• Number</li> <li>• Image</li> <li>• 'as-is' (blank: the value will be shown without transformation)</li> </ul> </td> </tr> <tr> <td data-bbox="289 1066 509 1165"><b>Show service configuration dialog</b></td> <td data-bbox="509 1066 618 1165">enableLo okup</td> <td data-bbox="618 1066 1484 1165">Users will be able to configure their own parameters for a configured service request</td> </tr> <tr> <td data-bbox="289 1165 509 1264"><b>Define configuration parameters</b></td> <td data-bbox="509 1165 618 1264">lookupLa bels</td> <td data-bbox="618 1165 1484 1264">Define labels for the configuration dialog using key-value pairs, separated by "&amp;" (as in URL notation), where <u>key</u> is the parameter name, and <u>value</u> is the text to be used as the label</td> </tr> <tr> <td data-bbox="289 1264 509 1362"><b>Caption for configuration button</b></td> <td data-bbox="509 1264 618 1362">lookupBt nLabel</td> <td data-bbox="618 1264 1484 1362">Provide a helpful pointer under the configuration dialog submit button</td> </tr> <tr> <td data-bbox="289 1362 509 1440"><b>Caption</b></td> <td data-bbox="509 1362 618 1440">download BtnLabel</td> <td data-bbox="618 1362 1484 1440">When the content to be loaded is binary, a download link will be rendered; this parameter sets the label on that link</td> </tr> <tr> <td data-bbox="289 1440 509 1518"><b>Set HTML element ID</b></td> <td data-bbox="509 1440 618 1518">elementId</td> <td data-bbox="618 1440 1484 1518">Useful, when you want to have a predictable and constant element id in HTML for generated content. Important: "_viewport" will be added to the name</td> </tr> </table>	<b>Name of the service</b>	serviceld	Services are defined by Confluence administrators with the ConfiDoc plugin configuration	<b>Selector</b>	root	<p>A CSS-like selector, but limited to a form: element attribute="value".</p> <p>To select elements by name, give the element's name; for example: <b>div</b> will select all the divs in the page</p> <p>To select all <b>div</b> elements in the page with the <u>myclass</u> class name, use: <b>div class="myclass"</b></p>	<b>Download and cache resources locally</b>	download Resources	<p>You can:</p> <ul style="list-style-type: none"> <li>• leave links to external resources "as is"</li> <li>• download external resources (such as images) to the Confluence server and adds them as attachments to the page</li> <li>• proxy external resources though local proxy</li> </ul>	<b>Cache resources locally</b>	useCache	Store requests locally in the Confluence cache to improve page-loading times and to reduce the number of requests to external servers (default cache duration is 30 minutes)	<b>Content Type</b>	contentT ype	Force ConfiDoc to use the given content type	<b>Custom CSS styles</b>	css	Custom CSS rules to apply on the rendered element	<b>Include as</b>	type	<p>This option provides a way to control how the macro outputs the returned data. Available types include:</p> <ul style="list-style-type: none"> <li>• Link</li> <li>• Date</li> <li>• Number</li> <li>• Image</li> <li>• 'as-is' (blank: the value will be shown without transformation)</li> </ul>	<b>Show service configuration dialog</b>	enableLo okup	Users will be able to configure their own parameters for a configured service request	<b>Define configuration parameters</b>	lookupLa bels	Define labels for the configuration dialog using key-value pairs, separated by "&" (as in URL notation), where <u>key</u> is the parameter name, and <u>value</u> is the text to be used as the label	<b>Caption for configuration button</b>	lookupBt nLabel	Provide a helpful pointer under the configuration dialog submit button	<b>Caption</b>	download BtnLabel	When the content to be loaded is binary, a download link will be rendered; this parameter sets the label on that link	<b>Set HTML element ID</b>	elementId	Useful, when you want to have a predictable and constant element id in HTML for generated content. Important: "_viewport" will be added to the name
<b>Name of the service</b>	serviceld	Services are defined by Confluence administrators with the ConfiDoc plugin configuration																																			
<b>Selector</b>	root	<p>A CSS-like selector, but limited to a form: element attribute="value".</p> <p>To select elements by name, give the element's name; for example: <b>div</b> will select all the divs in the page</p> <p>To select all <b>div</b> elements in the page with the <u>myclass</u> class name, use: <b>div class="myclass"</b></p>																																			
<b>Download and cache resources locally</b>	download Resources	<p>You can:</p> <ul style="list-style-type: none"> <li>• leave links to external resources "as is"</li> <li>• download external resources (such as images) to the Confluence server and adds them as attachments to the page</li> <li>• proxy external resources though local proxy</li> </ul>																																			
<b>Cache resources locally</b>	useCache	Store requests locally in the Confluence cache to improve page-loading times and to reduce the number of requests to external servers (default cache duration is 30 minutes)																																			
<b>Content Type</b>	contentT ype	Force ConfiDoc to use the given content type																																			
<b>Custom CSS styles</b>	css	Custom CSS rules to apply on the rendered element																																			
<b>Include as</b>	type	<p>This option provides a way to control how the macro outputs the returned data. Available types include:</p> <ul style="list-style-type: none"> <li>• Link</li> <li>• Date</li> <li>• Number</li> <li>• Image</li> <li>• 'as-is' (blank: the value will be shown without transformation)</li> </ul>																																			
<b>Show service configuration dialog</b>	enableLo okup	Users will be able to configure their own parameters for a configured service request																																			
<b>Define configuration parameters</b>	lookupLa bels	Define labels for the configuration dialog using key-value pairs, separated by "&" (as in URL notation), where <u>key</u> is the parameter name, and <u>value</u> is the text to be used as the label																																			
<b>Caption for configuration button</b>	lookupBt nLabel	Provide a helpful pointer under the configuration dialog submit button																																			
<b>Caption</b>	download BtnLabel	When the content to be loaded is binary, a download link will be rendered; this parameter sets the label on that link																																			
<b>Set HTML element ID</b>	elementId	Useful, when you want to have a predictable and constant element id in HTML for generated content. Important: "_viewport" will be added to the name																																			
<p>ConfiDoc Excerpt Anchor</p> <p><i>confidoc-excerpt-anchor</i></p>	<p>This macro helps you to group content elements inside a block and easily reference this block later with the ConfiDoc Excerpt macro</p> <table border="1" data-bbox="289 1575 1484 1652"> <tr> <td data-bbox="289 1575 638 1652"><b>Alphanumeric AnchorID (no spaces)</b></td> <td data-bbox="638 1575 727 1652">anchorId</td> <td data-bbox="727 1575 1484 1652">Reference this block from the ConfiDoc Excerpt macro using the "div id="AnchorID"" selector</td> </tr> </table>	<b>Alphanumeric AnchorID (no spaces)</b>	anchorId	Reference this block from the ConfiDoc Excerpt macro using the "div id="AnchorID"" selector																																	
<b>Alphanumeric AnchorID (no spaces)</b>	anchorId	Reference this block from the ConfiDoc Excerpt macro using the "div id="AnchorID"" selector																																			
<p>ConfiDoc Show-For (IF) Macro</p> <p><i>confidoc-show-for</i></p>	<p>This macro displays included content only for given users and/or groups</p> <table border="1" data-bbox="289 1759 1230 1812"> <tr> <td data-bbox="289 1759 566 1812"><b>Content is visible only to</b></td> <td data-bbox="566 1759 688 1812">restrictions</td> <td data-bbox="688 1759 1230 1812">A comma-separated list of group names and/or user names</td> </tr> </table>	<b>Content is visible only to</b>	restrictions	A comma-separated list of group names and/or user names																																	
<b>Content is visible only to</b>	restrictions	A comma-separated list of group names and/or user names																																			

ConfiDoc Globals  <i>confidoc-globals</i>	This macro provides a convenient way to store and display global variables in Confluence		
	<b>Variable name</b>	vars	Variable name
CSS Rules for ConfiDoc Fields  <i>confidoc-field-css</i>	This is a helper macro to format fields visually based on their values		
	<b>Field value or expression</b>	condition	Use values or expressions in order to match returned data much as you would for filters; ConfiDoc filters are very similar in functionality to <a href="#">ConfiForms Filters</a> (also developed by Vertuna LLC)
	<b>Field name</b>	field Name	Define the name of the field to which this rule should be applied (if blank, then the rule is applied to the row)
	<b>CSS to be applied</b>	css	CSS to apply when the above condition is met

## Using filters

ConfiDoc filters employ syntax similar to the queries in Apache Lucene for expressions, which supports grouping using brackets (currently, ConfiDoc filters support only outer or single bracket sets, not inner or sub-brackets). Filters support matching for expressions that start with a wild-card, and filtering per field as well as for free text search (seeking a match against any field value).

### The operators AND and OR are case-sensitive!

Filters support negative results with "not notation" to filter records that do not match the given filter with the '!'. For example: `!f1:[empty]` will search for records where the f1 field value is not empty (has some value).

Filters can perform simple arithmetic operations on dates (for example, to add or subtract days from today's date). Here are some examples:

To match records where f1 contains 'success' and f2 is after yesterday or where f3 equals 'accepted':

`(f1:*success AND f2:>[yesterday]) OR (f3:accepted)`

To match records where f1 contains 'success' and where f2 is after yesterday or where f3 is not empty:

`(f1:*success AND f2:>[today]-1) OR (!f3:[empty]) -`

This filter would be invalid because ConfiDoc does not yet support inner brackets in expressions:

`(f1:*success AND (f2:>[yesterday] OR (f3:accepted)))`.

Reserved words to use in expressions:

[empty]	To match when a particular field in the returned data is empty; for example: <b>field1:[empty]</b> will match records where field1 is empty (does not have a value even though the form defines this field)
[now]	To match on the current time and date; often useed with '<' and '>' for comparing with dates stored. For example: <b>someDateField:&lt;[now]</b> will match records where the field 'someDateField' has a value which is in the past compared to now (current time)
[today]	To match on the current date, much like [now], but without hours and minutes
[tomorrow]	To compare the returned data against tomorrow's date ( <b>[today]+1</b> could also be used)
[yesterday]	To compare the returned data against yesterday's date ( <b>[today]-1</b> could be also used)
[end-of-month], [start-of-month], [now], [today], [yesterday], [tomorrow], [today]+N, [today]-N	Functions added / revised in ConfiDoc version 3.4.6
'<' and '>'	These can be used together with date and datetime fields, as well as to compare values in the returned data with values stored in numeric fields
'=<' and '>='	Added in ConfiDoc 3.4.6
!	To reverse or negate the filter condition; for example: <b>!field1:[empty]</b> will find records that have data in 'field1'

Additional examples:

- assuming field1 is of type date (or datetime), this filter will return records where the returned values of field1 are not older than 5 days before now:  
***field1:[today]-5***
- assuming field1 is of type date (or datetime), this filter will return records where the returned values of field1 is not after 10 days from now  
***field1:[today]+10***

## Using sorting and limiting the number of records returned

ConfiDocs supports sorting results in ascending (ASC) and descending (DESC) directions. The syntax is similar to that in SQL, and the ordering rules must be coma separated.

**Order directions ASC and DESC are case-sensitive!**

Some examples: to limit the number of records returned, a LIMIT operator is used; for example,

**f1 ASC, f2 DESC**

will sort the dataset by the field f1 in ascending order and by f2 in descending order.

**f1 ASC, f2 DESC LIMIT 2**

will sort the dataset by the field f1 in ascending order and by f2 in descending order, and will limit the number of records returned to 2.

**LIMIT 5**

will limit the number of records returned to 5.