

How to style the email messages you send with ConfiForms

With ConfiForms you can easily send out email messages. Messages can be sent conditionally, and recipients can be looked up dynamically as well as the message contents.

- [How to style the email messages you send with ConfiForms](#) (ConfiForms)
 - email
- [Sending the change log via email](#) (ConfiForms)
 - email
- [Sending an email with attachments from Confluence with ConfiForms app](#) (ConfiForms)
 - email
 - various_forms
- [Sending email from Confluence with ConfiForms IFTTT macro conditionally](#) (ConfiForms)
 - email
 - various_forms
- [Creating a file with calendar invitation - ics file in Confluence and sending it via email with ConfiForms](#) (ConfiForms)
 - email
 - ifttt
 - various_forms
 - calendar
- [Creating embedded form with ConfiForms to send emails directly from Confluence](#) (ConfiForms)
 - basics
 - email
 - various_forms
- [How to create a form to send emails](#) (ConfiForms CLOUD)
 - featured
 - how-to
 - email

However, by default, ConfiForms does not include any extra styles for the messages you configure and the message is sent with a default style for the HTML

Adding standard Confluence styles be done by including the CSS from [Atlassian CDN](#) right in the message body (of course, you can add your own CSS rules if/when necessary to be included in the result message)

Here is a visual example

The screenshot shows a configuration interface for a ConfiForms form. It includes sections for 'ConfiForms Form Definition', 'ConfiForms (Form View) Registrations Control', 'ConfiForms Form Field Definition' (for fields 'what' and 'when'), and 'ConfiForms IFTTT Integration Rules'. The 'HTML' section contains the following code:

```
<link rel="stylesheet" href="//ui-cdn.atlassian.com/ui-adg/6.0.9/css/ui.min.css" media="all">
<!-- AUI Experimental components -->
<link rel="stylesheet" href="//ui-cdn.atlassian.com/ui-adg/6.0.9/css/ui-experimental.min.css" media="all">
```

Below the code, the rendered email preview is shown, starting with 'This is an email from ConfiForms' and containing a form with two fields: 'what' and 'when'. The email ends with 'Thank you, Vertuna team'.

```
<ac:structured-macro ac:macro-id="8b413be5-0cc2-4079-b7fa-b1d978c368d9" ac:name="confiform" ac:schema-version="1" >
  <ac:parameter ac:name="formName">myform</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="8a4fd870-6a1d-4a7c-9536-b52e1ad2f337" ac:name="confiform-entry-
```

```

register" ac:schema-version="1">
  <ac:parameter ac:name="formName">myform</ac:parameter>
  <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
  <ac:rich-text-body>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p>
  <ac:structured-macro ac:macro-id="2c29ead4-2191-4db2-a55c-9bf2965bd5aa" ac:name="confiform-field-
definition" ac:schema-version="1">
    <ac:parameter ac:name="fieldName">what</ac:parameter>
    <ac:parameter ac:name="fieldLabel">what</ac:parameter>
    <ac:parameter ac:name="type">text</ac:parameter>
  </ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="c396afcd-7b9d-45c3-9c1e-009b21f75caf" ac:name="confiform-field-
definition" ac:schema-version="1">
    <ac:parameter ac:name="fieldName">when</ac:parameter>
    <ac:parameter ac:name="fieldLabel">When</ac:parameter>
    <ac:parameter ac:name="type">datetime</ac:parameter>
  </ac:structured-macro>
</p>
<ac:structured-macro ac:macro-id="54fe66b9-44a0-485f-b958-654b350904a4" ac:name="confiform-ifttt" ac:
schema-version="1">
  <ac:parameter ac:name="action">Send Email</ac:parameter>
  <ac:parameter ac:name="event">onCreated</ac:parameter>
  <ac:parameter ac:name="title">Email from ConfiForms</ac:parameter>
  <ac:parameter ac:name="who">alex@vertuna.com</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="778dbd46-9ef7-4ddf-8703-ffb7cc93ce82" ac:name="html" ac:schema-
version="1">
      <ac:plain-text-body><![CDATA[<link rel="stylesheet" href="//ui-cdn.atlassian.com/ui-adg/6.0.9/css
/ui.min.css" media="all">
<!-- AUI Experimental components -->
<link rel="stylesheet" href="//ui-cdn.atlassian.com/ui-adg/6.0.9/css/ui-experimental.min.css" media="all"
>]]></ac:plain-text-body>
    </ac:structured-macro>
    <p>
      <br/>
    </p>
    <p>This is an email from <strong>ConfiForms</strong>
    </p>
    <ac:structured-macro ac:macro-id="1889f4fe-628a-4c8d-b692-682dbbd54b97" ac:name="confiform-card" ac:
schema-version="1">
      <ac:parameter ac:name="filter">id:[entry.id]</ac:parameter>
      <ac:parameter ac:name="formName">myform</ac:parameter>
      <ac:rich-text-body>
        <p>
          <ac:structured-macro ac:macro-id="9e406849-b18c-4661-ac82-6228a55a0442" ac:name="confiform-
field" ac:schema-version="1">
            <ac:parameter ac:name="fieldName">what</ac:parameter>
          </ac:structured-macro>
        </p>
        <p>
          <ac:structured-macro ac:macro-id="990048d4-1163-490c-b05d-390d9e52f1f3" ac:name="confiform-
field" ac:schema-version="1">
            <ac:parameter ac:name="fieldName">when</ac:parameter>
          </ac:structured-macro>
        </p>
      </ac:rich-text-body>
    </ac:structured-macro>
    <p>Thank you, Vertuna team</p>
  </ac:rich-text-body>
</ac:structured-macro>
</ac:rich-text-body>
</ac:structured-macro>
<p>

```

```
<br />  
</p>  
<p>  
  <br />  
</p>
```