

Demo form with a dynamic filter and CalendarView with intervals field

This demo is very similar to [Demo form with filter and ConfiForms CalendarView with intervals and dropdown for choices](#), but has the "text" field for storing the "names" and the in a Dynamic filter a user is presented with a text field as well

Start typing to see the options...

Search item:

Filter Reset form

Storage format for the solution

```

<ac:structured-macro ac:macro-id="3b8c2c45-2ee9-4152-9cdc-dalb47a50334" ac:name="confiform" ac:schema-version="1">
    <ac:parameter ac:name="formName">itemsl</ac:parameter>
    <ac:rich-text-body>
        <p>
            <ac:structured-macro ac:macro-id="576d8b1b-f560-4677-8ddc-94b573040f06" ac:name="confiform-entry-register" ac:schema-version="1">
                <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
                <ac:rich-text-body>
                    <p> </p>
                </ac:rich-text-body>
            </ac:structured-macro>
            <ac:structured-macro ac:macro-id="56e85c22-872c-44fc-a432-b120adbd5571" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">name</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Name</ac:parameter>
                <ac:parameter ac:name="type">text</ac:parameter>
            </ac:structured-macro>
        </p>
        <p>
            <ac:structured-macro ac:macro-id="938bdc7e-89dc-4931-a153-c68b4f30866e" ac:name="confiform-field-definition" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">used</ac:parameter>
                <ac:parameter ac:name="fieldLabel">Used when</ac:parameter>
                <ac:parameter ac:name="type">datetimeinterval</ac:parameter>
            </ac:structured-macro>
        </p>
        </ac:rich-text-body>
    </ac:structured-macro>
</p>
<ac:structured-macro ac:macro-id="6ce6f751-e2f9-4432-915b-8d3e4816fd5e" ac:name="confiform-entry-filter" ac:schema-version="1">
    <ac:parameter ac:name="includeResetButton">true</ac:parameter>
    <ac:parameter ac:name="filterFor">calendar</ac:parameter>
    <ac:parameter ac:name="formName">itemsl</ac:parameter>
    <ac:parameter ac:name="resetButtonLabel">Reset form</ac:parameter>
    <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
    <ac:rich-text-body>
        <p>Search item: <ac:structured-macro ac:macro-id="2c0318af-f447-4135-8868-50e12ae2a208" ac:name="confiform-field" ac:schema-version="1">
            <ac:parameter ac:name="fieldName">name</ac:parameter>
        </ac:structured-macro>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>
</p>
<ac:structured-macro ac:macro-id="29b03999-c54c-4c4e-9f23-3298a5bb5a65" ac:name="confiform-calendar" ac:schema-version="1">
    <ac:parameter ac:name="groupingFieldName">used</ac:parameter>
    <ac:parameter ac:name="formName">itemsl</ac:parameter>
    <ac:rich-text-body>
        <p>
            <ac:structured-macro ac:macro-id="8c27efe7-c59c-4464-b5da-d86f5be43c60" ac:name="confiform-field" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">name</ac:parameter>
            </ac:structured-macro> - <ac:structured-macro ac:macro-id="1f0cc347-bf18-413e-9341-7f16e53d0bc7" ac:name="confiform-field" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">used</ac:parameter>
            </ac:structured-macro>
        </p>
    </ac:rich-text-body>
</ac:structured-macro>

```