

Creating link from one form to another with setting the custom defaults

Form 1

Form 2 uses the partnr through the smart dropdown

A table which shows part number from form 1 with a quick link to use the part nr in form2

Part number	pro2	prop2	Quick link
choice 1	1	2	the link

over form 2

Using part	my formula
choice 1	Expression: [(1 + 6dad8173-5385-492e-91bf-1949ad7a7713)] could not be calculated, Too many numbers or variables

The storage format for the demo

```
<p>Form 1</p>
<ac:structured-macro ac:macro-id="bca2ebbc-679b-4b1f-9964-7fdd47f55bbd" ac:name="conform" ac:schema-version="1">
  <ac:parameter ac:name="formName">form1</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="50233feb-2fc1-4ea7-8cc1-c55c0983a2e4" ac:name="conform-entry-register" ac:schema-version="1">
      <ac:rich-text-body>
        <p> </p>
      </ac:rich-text-body>
    </ac:structured-macro>
  <p>
    <ac:structured-macro ac:macro-id="6655aa2f-2a93-44e4-81be-093f1b35f837" ac:name="conform-field-definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">partnr</ac:parameter>
      <ac:parameter ac:name="fieldLabel">Part number</ac:parameter>
      <ac:parameter ac:name="type">text</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="6be173cc-e77d-4800-8725-5f63ee53abf4" ac:name="conform-field-definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">prop1</ac:parameter>
      <ac:parameter ac:name="fieldLabel">pro2</ac:parameter>
      <ac:parameter ac:name="type">number</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="82ee6baf-fb01-4acf-9857-ea74d4105a4c" ac:name="conform-field-definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">prop2</ac:parameter>
      <ac:parameter ac:name="fieldLabel">prop2</ac:parameter>
      <ac:parameter ac:name="type">number</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="abf8ffc8-073a-4ca1-acee-e5b584949bda" ac:name="conform-field-definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">quicklink</ac:parameter>
      <ac:parameter ac:name="fieldLabel">Quick link</ac:parameter>
      <ac:parameter ac:name="values">https://wiki.vertuna.com/pages/viewpage.action?pageId=13598746&mp;
```

```

cf_name=form12&cf_values=usingpartnr:/ac:parameter>
  <ac:parameter ac:name="type">hidden</ac:parameter>
</ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="303350fc-dd9f-44f4-9c2f-e9f862a41a56" ac:name="confiorm-field-
definition-rules" ac:schema-version="1">
    <ac:parameter ac:name="fieldName">quicklink</ac:parameter>
    <ac:parameter ac:name="action">Hide field</ac:parameter>
  </ac:structured-macro>
</p>
<ac:structured-macro ac:macro-id="079dc600-925c-4b67-9b5a-90970f61f192" ac:name="confiorm-ifttt" ac:schema-
version="1">
  <ac:parameter ac:name="action">Create ConfiForms Entry</ac:parameter>
  <ac:parameter ac:name="event">onCreated</ac:parameter>
  <ac:parameter ac:name="title">entryId=[entry.id]&quicklink=[entry.quicklink][entry.id]</ac:parameter>
  <ac:rich-text-body>
    <p> </p>
  </ac:rich-text-body>
</ac:structured-macro>
</ac:rich-text-body>
</ac:structured-macro>
<p>Form 2 uses the partnr through the smart dropdown</p>
<ac:structured-macro ac:macro-id="17f928e4-bded-4b0b-b1be-2e23a36a678a" ac:name="confiorm" ac:schema-version="
1">
  <ac:parameter ac:name="formName">form12</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="1f22df2b-73fc-4e3b-ab72-496b82abf444" ac:name="confiorm-entry-register"
ac:schema-version="1">
      <ac:parameter ac:name="embedded">>true</ac:parameter>
      <ac:rich-text-body>
        <p> </p>
      </ac:rich-text-body>
    </ac:structured-macro>
    <p>
      <ac:structured-macro ac:macro-id="61adabd6-c2c2-49ba-863d-b3dc916675f8" ac:name="confiorm-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">usingpartnr</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Using part</ac:parameter>
        <ac:parameter ac:name="values">[13598746|form11|partnr|true|]</ac:parameter>
        <ac:parameter ac:name="type">smartselect2</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="cc798c6e-fde6-43b4-bd08-0fb17e4ab365" ac:name="confiorm-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">f</ac:parameter>
        <ac:parameter ac:name="fieldLabel">my formula</ac:parameter>
        <ac:parameter ac:name="extras">([entry.usingpartnr.prop1] + [entry.usingpartnr.prop2])</ac:parameter>
        <ac:parameter ac:name="type">formula</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p> </p>
<p>A table which shows part number from form 1 with a quick link to use the part nr in form2</p>
<ac:structured-macro ac:macro-id="06e73d04-2a72-4347-8a30-fa293eb0dba2" ac:name="confiorm-table" ac:schema-
version="1">
  <ac:parameter ac:name="formName">form11</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="7cd1a4b6-7b84-420f-ae4b-83cb9b8c6f06" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">partnr</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="582a0e7e-7e01-4718-a09c-f8fedb31c18b" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">prop1</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>

```

```
</p>
<p>
  <ac:structured-macro ac:macro-id="386cd3d8-6b04-4646-948e-e545c867b1d2" ac:name="confiform-field" ac:
schema-version="1">
    <ac:parameter ac:name="fieldName">prop2</ac:parameter>
  </ac:structured-macro>
</p>
<p>
  <ac:structured-macro ac:macro-id="e1cb16c3-ef6b-4bb1-bca6-67be868bdcfa" ac:name="confiform-field" ac:
schema-version="1">
    <ac:parameter ac:name="fieldName">quicklink.asLink(the link)</ac:parameter>
  </ac:structured-macro>
</p>
</ac:rich-text-body>
</ac:structured-macro>
<p>over form 2</p>
<ac:structured-macro ac:macro-id="010b05cc-c59c-4053-8aec-669dcce84c4d" ac:name="confiform-table" ac:schema-
version="1">
  <ac:parameter ac:name="formName">form12</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="31c36c77-f476-44db-bc65-66b2f26e02e1" ac:name="confiform-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">usingpartnr</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="c51342b2-7463-4a3a-a28c-f6e65c57270c" ac:name="confiform-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">f</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```