

# Create Jira issue with applink for authenticated users and with webservice connection for anonymous users

This is a demo to illustrate how you can create Jira issue with ConfiForms IFTTT action "Create Jira" via Application link - for authenticated users

And the same form uses webservices method to create a Jira issue for non authenticated / anonymous users

Jira issue key is saved back to one of the form's fields

Here is the demo (creates the issue and stores the Jira key back)

Jira key	Created timestamp
	Dec 05, 2019 09:36
JTEST-179	Dec 05, 2019 09:40
	Dec 05, 2019 09:41
JTEST-182	Dec 05, 2019 10:28
JTEST-184	Dec 05, 2019 10:29
	Dec 11, 2019 23:52
JTEST-186	Dec 19, 2019 17:15
JTEST-187	Dec 20, 2019 17:03
JTEST-188	Dec 27, 2019 03:40
JTEST-191	Jan 07, 2020 11:07
	Jan 13, 2020 16:05
JTEST-198	Jan 29, 2020 19:55
JTEST-199	Feb 04, 2020 22:19
	Feb 10, 2020 20:38
JTEST-205	Feb 13, 2020 03:42
	Feb 19, 2020 09:28
	Feb 20, 2020 12:12
JTEST-207	Feb 20, 2020 12:12
JTEST-212	Mar 07, 2020 22:25
JTEST-214	Mar 09, 2020 21:43
JTEST-215	Mar 12, 2020 04:14
JTEST-220	Mar 26, 2020 08:06
JTEST-222	Mar 26, 2020 11:01
	Apr 16, 2020 11:48

JTEST-223	Apr 16, 2020 11:48
JTEST-243	May 21, 2020 13:34
JTEST-244	May 21, 2020 15:40
JTEST-245	May 21, 2020 15:41
JTEST-248	Jun 01, 2020 19:13
JTEST-249	Jun 02, 2020 21:02
	Jun 09, 2020 23:25
JTEST-251	Jun 18, 2020 22:10
JTEST-252	Jun 26, 2020 12:32
JTEST-259	Jul 28, 2020 13:40
JTEST-265	Aug 13, 2020 12:53
JTEST-270	Aug 18, 2020 17:14
JTEST-273	Sep 11, 2020 16:06
JTEST-275	Sep 23, 2020 02:47
JTEST-277	Sep 28, 2020 23:31
JTEST-292	Oct 21, 2020 04:17
	Nov 10, 2020 18:56
JTEST-295	Nov 11, 2020 10:09
	Nov 20, 2020 02:37
	Nov 20, 2020 02:37
JTEST-300	Nov 26, 2020 03:33
	Nov 30, 2020 11:20
	Nov 30, 2020 14:29
JTEST-301	Nov 30, 2020 14:30
JTEST-306	Dec 16, 2020 14:04
	Dec 22, 2020 18:26
JTEST-310	Jan 05, 2021 09:42
JTEST-311	Jan 07, 2021 16:42
	Jan 11, 2021 18:05
	Jan 20, 2021 22:35
JTEST-316	Jan 20, 2021 22:36
	Feb 11, 2021 04:43
JTEST-323	Feb 17, 2021 12:52
	Mar 12, 2021 13:35

JTEST-330	Mar 12, 2021 13:35
JTEST-334	Mar 19, 2021 12:56
JTEST-336	Mar 24, 2021 10:49
JTEST-339	Apr 01, 2021 16:09
	Apr 06, 2021 16:42
JTEST-340	Apr 06, 2021 16:49
JTEST-341	Apr 12, 2021 16:25
JTEST-343	Apr 20, 2021 09:02
JTEST-351	May 05, 2021 18:35
JTEST-352	May 12, 2021 17:55
JTEST-360	Jun 24, 2021 13:44
JTEST-362	Jun 30, 2021 12:58
JTEST-363	Jun 30, 2021 13:03
JTEST-364	Jul 03, 2021 05:00
JTEST-365	Jul 09, 2021 14:47
	Jul 28, 2021 15:29
	Jul 28, 2021 15:29
JTEST-369	Jul 29, 2021 22:16
	Sep 21, 2021 14:19
JTEST-381	Sep 21, 2021 14:20
JTEST-385	Sep 22, 2021 12:44
JTEST-386	Sep 23, 2021 12:16
JTEST-392	Oct 10, 2021 23:22
	Oct 29, 2021 15:19
JTEST-394	Oct 29, 2021 20:43
	Dec 07, 2021 09:57
JTEST-403	Dec 08, 2021 06:30
JTEST-405	Dec 14, 2021 06:35
JTEST-406	Dec 16, 2021 00:59
JTEST-408	Dec 21, 2021 11:14
	Dec 21, 2021 23:41
	Dec 23, 2021 18:14
JTEST-414	Jan 05, 2022 19:50
JTEST-420	Jan 07, 2022 06:41

JTEST-421	Jan 17, 2022 17:47
JTEST-423	Jan 22, 2022 23:52
JTEST-431	Feb 23, 2022 02:33
JTEST-432	Mar 04, 2022 19:03
JTEST-435	Mar 15, 2022 22:14
JTEST-437	Mar 17, 2022 23:37
	Mar 23, 2022 20:26
	Apr 12, 2022 22:37
JTEST-440	Apr 22, 2022 23:06
JTEST-444	May 26, 2022 04:33
	May 26, 2022 07:20
	May 26, 2022 09:01
JTEST-445	Jun 20, 2022 18:18
	Jun 21, 2022 13:08
JTEST-447	Jun 30, 2022 17:52
	Jul 04, 2022 23:34
JTEST-448	Jul 06, 2022 04:23
JTEST-449	Jul 13, 2022 11:15
JTEST-452	Jul 22, 2022 03:36
JTEST-454	Jul 25, 2022 15:39
	Aug 02, 2022 17:59
JTEST-458	Aug 19, 2022 17:05
	Aug 29, 2022 20:35
JTEST-462	Aug 29, 2022 23:39
JTEST-465	Sep 07, 2022 12:39
	Sep 07, 2022 15:43
JTEST-466	Sep 08, 2022 11:52
JTEST-468	Sep 18, 2022 07:14
JTEST-470	Sep 23, 2022 18:50
JTEST-472	Oct 04, 2022 15:12
JTEST-473	Oct 11, 2022 12:46
JTEST-475	Oct 19, 2022 21:09
JTEST-477	Oct 20, 2022 00:25
	Oct 27, 2022 05:17

JTEST-478	Oct 27, 2022 05:18
JTEST-479	Nov 04, 2022 23:39
JTEST-480	Nov 09, 2022 23:48
	Nov 30, 2022 14:22
JTEST-489	Dec 15, 2022 20:10
	Jan 11, 2023 17:24
	Jan 19, 2023 17:05
JTEST-492	Jan 19, 2023 17:06
	Jan 20, 2023 16:02
JTEST-493	Jan 24, 2023 19:50
JTEST-494	Jan 24, 2023 19:50
JTEST-497	Jan 26, 2023 02:49
JTEST-499	Feb 15, 2023 17:52
	Feb 16, 2023 14:24
	Feb 21, 2023 17:02
JTEST-503	Feb 21, 2023 17:03
	Mar 15, 2023 15:29
	Apr 07, 2023 17:56
	May 18, 2023 15:55
	May 19, 2023 15:23
	May 19, 2023 15:23
	May 19, 2023 16:23
	Jun 03, 2023 03:04
	Jun 03, 2023 03:05
	Jun 15, 2023 21:42
	Aug 16, 2023 15:12
JTEST-553	Sep 09, 2023 01:11
	Nov 09, 2023 09:43
JTEST-564	Nov 27, 2023 12:57
JTEST-570	Jan 12, 2024 12:18
JTEST-573	Feb 14, 2024 12:17
JTEST-574	Feb 14, 2024 15:31
JTEST-587	Feb 26, 2024 16:19
JTEST-588	Feb 27, 2024 13:27

## Source code

```
<p>Yes, you can create Jira issue with WebService IFTTT action (usual IFTTT to create Jira issues will not work for anonymous users as it does uses the Application link to connect to your Jira and that will not be available for anonymous users, while web service connection is available to anyone, unless you tell otherwise (setting up connection restrictions))</p>
<p>Here is the demo (creates the issue and stores the Jira key back)</p>
<ac:structured-macro ac:macro-id="634f4a34-b8ba-464d-b222-e123d65cc4e0" ac:name="conform" ac:schema-version="1">
  <ac:parameter ac:name="formName">ji2</ac:parameter>
  <ac:parameter ac:name="showOnlyOwnRecords">true</ac:parameter>
  <ac:parameter ac:name="registrationFormTitle">Create JIRA issue with ConfiForms Webservice connection</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="dd25632e-211e-4820-8754-836d4ade9236" ac:name="conform-entry-register" ac:schema-version="1">
      <ac:parameter ac:name="overrideSaveButtonLabel">Create</ac:parameter>
      <ac:parameter ac:name="registrationButtonLabel">Register me</ac:parameter>
      <ac:parameter ac:name="embedded">true</ac:parameter>
      <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
      <ac:rich-text-body>
        <p>
          <br/>
        </p>
      </ac:rich-text-body>
    </ac:structured-macro>
  <p>
    <ac:structured-macro ac:macro-id="8a572845-1d28-4560-a4d8-f8102317e419" ac:name="conform-field-definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">summary</ac:parameter>
      <ac:parameter ac:name="fieldLabel">Summary</ac:parameter>
      <ac:parameter ac:name="type">text</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="2e5a8660-272b-43f6-801d-a3131c3665c5" ac:name="conform-field-definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">desc1</ac:parameter>
      <ac:parameter ac:name="fieldLabel">Description</ac:parameter>
      <ac:parameter ac:name="type">text</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="7d641f3b-1fd7-4e47-a63e-a2b040782730" ac:name="conform-field-definition" ac:schema-version="1">
      <ac:parameter ac:name="fieldName">desc2</ac:parameter>
      <ac:parameter ac:name="fieldLabel">More details:</ac:parameter>
      <ac:parameter ac:name="type">textarea</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="7c8f347e-7704-441f-92f2-990cac31a7d5" ac:name="conform-field-definition" ac:schema-version="1">
      <ac:parameter ac:name="css">width:100px;</ac:parameter>
      <ac:parameter ac:name="fieldName">jk</ac:parameter>
      <ac:parameter ac:name="fieldLabel">Jira key</ac:parameter>
      <ac:parameter ac:name="type">read_only</ac:parameter>
    </ac:structured-macro>
  </p>
  <p>
    <ac:structured-macro ac:macro-id="a06f0ccf-0e36-4d07-b47d-cb38a345c0fe" ac:name="conform-field-definition-rules" ac:schema-version="1">
      <ac:parameter ac:name="condition">id:[empty]</ac:parameter>
      <ac:parameter ac:name="fieldName">jk</ac:parameter>
      <ac:parameter ac:name="action">Hide field</ac:parameter>
    </ac:structured-macro>
  </p>
</ac:structured-macro>
```

```

</p>
<p>
  <br/>
</p>
<p>-- anonymous user</p>
<ac:structured-macro ac:macro-id="fddb4549-4103-4cd4-8d60-5e0b7a72b87e" ac:name="confiiform-ifttt" ac:schema-
version="1">
  <ac:parameter ac:name="condition">_user:[empty]</ac:parameter>
  <ac:parameter ac:name="action">WebService Request</ac:parameter>
  <ac:parameter ac:name="extras">4bb4c41a51f289a07507d50a1b841a4d</ac:parameter>
  <ac:parameter ac:name="event">onCreated</ac:parameter>
  <ac:parameter ac:name="title">/rest/api/2/issue/</ac:parameter>
  <ac:parameter ac:name="extras2">X-Atlassian-Token: no-check;Content-Type: application/json;</ac:parameter>
  <ac:parameter ac:name="who">POST</ac:parameter>
  <ac:rich-text-body>
    <ac:structured-macro ac:macro-id="46d25e82-d4db-4e38-9b96-f5c6159c473f" ac:name="noformat" ac:schema-
version="1">
      <ac:plain-text-body><![CDATA[{
"fields": {
  "project":
    {
      "key": "JTEST"
    },
    "summary": "[entry.summary.escapeJSON]",
    "assignee":{"name":"admin"},
    "description": "[entry.desc1.escapeJSON] \n [entry.desc2.escapeJSON]",
    "issuetype": {
      "name": "Bug"
    }
  }
}]]></ac:plain-text-body>
    </ac:structured-macro>
  </ac:rich-text-body>
</ac:structured-macro>
<p>
  <br/>
</p>
<p>
  <br/>
</p>
<ac:structured-macro ac:macro-id="272e3b89-8d15-4900-8d19-eff6842cb291" ac:name="confiiform-ifttt" ac:schema-
version="1">
  <ac:parameter ac:name="condition">_user:[empty]</ac:parameter>
  <ac:parameter ac:name="extras4">true</ac:parameter>
  <ac:parameter ac:name="action">Create ConfiForms Entry</ac:parameter>
  <ac:parameter ac:name="event">onCreated</ac:parameter>
  <ac:parameter ac:name="title">entryId=[entry.id]& jk=${iftttResult_0}</ac:parameter>
  <ac:rich-text-body>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="06d97bf0-5caa-486a-aebf-c21400c7b035" ac:name="confiiform-ifttt" ac:schema-
version="1">
  <ac:parameter ac:name="condition">_user:[empty]</ac:parameter>
  <ac:parameter ac:name="extras4">true</ac:parameter>
  <ac:parameter ac:name="action">Create ConfiForms Entry</ac:parameter>
  <ac:parameter ac:name="event">onCreated</ac:parameter>
  <ac:parameter ac:name="title">entryId=[entry.id]& jk=[entry.jk.asJSON.key]</ac:parameter>
  <ac:rich-text-body>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<p>--- auth user</p>
<ac:structured-macro ac:macro-id="89c6d30f-2ea9-4b51-94aa-44513b7c6898" ac:name="confiiform-ifttt" ac:schema-
version="1">
  <ac:parameter ac:name="condition">_user:[empty]</ac:parameter>
  <ac:parameter ac:name="action">Create JIRA Issue</ac:parameter>

```

```

<ac:parameter ac:name="extras">vertuna-test</ac:parameter>
<ac:parameter ac:name="event">onCreated</ac:parameter>
<ac:rich-text-body>
  <ac:structured-macro ac:macro-id="619a18ae-afe0-45cd-9b54-0041241fcc25" ac:name="noformat" ac:schema-
version="1">
    <ac:plain-text-body><![CDATA[ {
      "fields": {
        "project": {
          {
            "key": "JTEST"
          },
          "summary": "[entry.summary.escapeJSON]",
          "assignee": { "name": "admin" },
          "description": "[entry.desc1.escapeJSON] \n [entry.desc2.escapeJSON]",
          "issuetype": {
            "name": "Bug"
          }
        }
      }
    }]]></ac:plain-text-body>
    </ac:structured-macro>
  </ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="bce49113-5f2f-4815-b0de-a302f16e5171" ac:name="confiorm-ifttt" ac:schema-
version="1">
  <ac:parameter ac:name="condition">![_user:[empty]]</ac:parameter>
  <ac:parameter ac:name="action">Create ConfiForms Entry</ac:parameter>
  <ac:parameter ac:name="event">onCreated</ac:parameter>
  <ac:parameter ac:name="title">entryId=[entry.id]& jk=${iftttResult_0}</ac:parameter>
  <ac:rich-text-body>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
</ac:rich-text-body>
</ac:structured-macro>
<p>
  <br/>
</p>
<p>
  <br/>
</p>
<ac:structured-macro ac:macro-id="d309c641-56ef-46cb-b01f-19590d41605e" ac:name="confiorm-table" ac:schema-
version="1">
  <ac:parameter ac:name="formName">ji2</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="8a053643-3b4b-40a8-93b4-89a2acbf0d20" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">jk</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="18b7e9fe-30c3-4a04-886e-6a47446af441" ac:name="confiorm-field" ac:
schema-version="1">
        <ac:parameter ac:name="fieldName">created</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>

```