

Answers with expand macro and custom layout

This demo shows a form with custom layout and with choices + custom text area for details for each choice

Storage format

```
<ac:structured-macro ac:macro-id="14b1371f-81b2-4813-8e99-ef46b360d59b" ac:name="confiorm" ac:schema-version="1">
  <ac:parameter ac:name="formName">myform1</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="65c1a488-d59d-4a22-aa3f-ef8a2d56d1ca" ac:name="confiorm-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">choice1</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Choice1</ac:parameter>
        <ac:parameter ac:name="values">>false[1=uno|2=duo|3=tres|4=own choice|]</ac:parameter>
        <ac:parameter ac:name="type">radio_group</ac:parameter>
      </ac:structured-macro> <ac:structured-macro ac:macro-id="f185fe28-a168-4662-8108-f99cf0d1150e" ac:name="confiorm-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">choice1Details</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Choice 1 details</ac:parameter>
        <ac:parameter ac:name="type">textarea</ac:parameter>
      </ac:structured-macro> <ac:structured-macro ac:macro-id="71b36604-ba27-41cb-92bd-f21234a78f15" ac:name="confiorm-field-definition-rules" ac:schema-version="1">
        <ac:parameter ac:name="condition">choice1:4</ac:parameter>
        <ac:parameter ac:name="fieldName">choice1Details</ac:parameter>
        <ac:parameter ac:name="action">Show field</ac:parameter>
        <ac:parameter ac:name="actionFieldName">choice1</ac:parameter>
        <ac:parameter ac:name="withReverseRule">>true</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="de99c0c5-b485-492e-9f23-9602b2c3ec96" ac:name="confiorm-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">choice2</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Choice2</ac:parameter>
        <ac:parameter ac:name="values">>false[1=uno|2=duo|3=tres|4=own choice|]</ac:parameter>
        <ac:parameter ac:name="type">radio_group</ac:parameter>
      </ac:structured-macro> <ac:structured-macro ac:macro-id="728f7450-45b6-48f3-8a7e-6d0d4ba8475a" ac:name="confiorm-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">choice2Details</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Choice 2 details</ac:parameter>
        <ac:parameter ac:name="type">textarea</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="729c7d73-7133-4a06-9e80-bd2064587be8" ac:name="confiorm-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">choice3</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Choice3</ac:parameter>
        <ac:parameter ac:name="values">>false[1=uno|2=duo|3=tres|4=own choice|]</ac:parameter>
        <ac:parameter ac:name="type">radio_group</ac:parameter>
      </ac:structured-macro> <ac:structured-macro ac:macro-id="3c9637e5-4455-427e-ab13-d1a75a683492" ac:name="confiorm-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">choice3Details</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Choice 3 details</ac:parameter>
        <ac:parameter ac:name="type">textarea</ac:parameter>
      </ac:structured-macro>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
<ac:structured-macro ac:macro-id="42c348d8-4906-45e3-95fe-61e13e2f27d4" ac:name="confiorm-entry-register" ac:schema-version="1">
  <ac:parameter ac:name="formName">myform1</ac:parameter>
  <ac:parameter ac:name="embedded">>true</ac:parameter>
  <ac:parameter ac:name="atlassian-macro-output-type">INLINE</ac:parameter>
  <ac:rich-text-body>
    <table class="wrapped" style="width: 100.0%;">
```

```

<colgroup> <col style="width: 80.0px;"/> <col style="width: 29.0px;"/> </colgroup>
<tbody>
  <tr>
    <th>Choice 1</th>
    <td>
      <div class="content-wrapper">
        <p>
          <ac:structured-macro ac:macro-id="3bd03755-dd99-49d5-87cd-2988f96a0d02" ac:name="conform-
field" ac:schema-version="1">
            <ac:parameter ac:name="fieldName">choice1</ac:parameter>
          </ac:structured-macro>
        </p>
        <p>
          <ac:structured-macro ac:macro-id="db601659-3d8b-480e-9043-f0ca58638628" ac:name="conform-
field" ac:schema-version="1">
            <ac:parameter ac:name="fieldName">choice1Details</ac:parameter>
          </ac:structured-macro>
        </p>
      </div>
    </td>
  </tr>
  <tr>
    <th colspan="1">Choice 2</th>
    <td colspan="1">
      <div class="content-wrapper">
        <p>
          <ac:structured-macro ac:macro-id="b9950f28-67a3-46a7-9f6b-bb2292fda168" ac:name="conform-
field" ac:schema-version="1">
            <ac:parameter ac:name="fieldName">choice2</ac:parameter>
          </ac:structured-macro>
        </p>
        <ac:structured-macro ac:macro-id="c067677a-4ebf-4a6c-93fa-ec8264c48cf2" ac:name="expand" ac:
schema-version="1">
          <ac:parameter ac:name="title">Click here to expand to enter details...</ac:parameter>
          <ac:rich-text-body>
            <p>
              <ac:structured-macro ac:macro-id="52227a3e-70b1-47eb-a9df-f3aa9eefe003" ac:name="conform-
field" ac:schema-version="1">
                <ac:parameter ac:name="fieldName">choice2Details</ac:parameter>
              </ac:structured-macro>
            </p>
          </ac:rich-text-body>
        </ac:structured-macro>
      </div>
    </td>
  </tr>
  <tr>
    <th colspan="1">Choice 3</th>
    <td colspan="1">
      <div class="content-wrapper">
        <p>
          <ac:structured-macro ac:macro-id="65d2df33-61a5-4e77-9346-f50222943acd" ac:name="conform-
field" ac:schema-version="1">
            <ac:parameter ac:name="fieldName">choice3</ac:parameter>
          </ac:structured-macro>
        </p>
        <p>Please put a comment</p>
        <p>
          <ac:structured-macro ac:macro-id="b43b6b5b-aa1e-47b6-a223-18b991bd95d1" ac:name="conform-
field" ac:schema-version="1">
            <ac:parameter ac:name="fieldName">choice3Details</ac:parameter>
          </ac:structured-macro>
        </p>
      </div>
    </td>
  </tr>
</tbody>
</table>
</ac:rich-text-body>
</ac:structured-macro>

```

