
Form to lookup and preset values from existing records

Choose option 1 from "Choice" field to initiate a lookup

Please note that when you see this demo as anonymous user, you will not be able to update the record (no permissions!)



Storage format

```
<ac:structured-macro ac:macro-id="a0ae2d3f-839b-47e1-889a-812cc57fc819" ac:name="confiform" ac:schema-version="
1">
  <ac:parameter ac:name="formName">f1</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="3f10281e-7deb-475f-90bb-e38f3289949d" ac:name="confiform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">choice</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Choice</ac:parameter>
        <ac:parameter ac:name="values">false[1=one|2=two|3=three|]</ac:parameter>
        <ac:parameter ac:name="type">select</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="8e15928d-197f-478d-bbe2-98b3934b9337" ac:name="confiform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">answer1</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Answer1</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="74eb2abf-48db-4ac2-a83f-06c8add859a8" ac:name="confiform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">answer2</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Answer2</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="5c5affd2-aed3-4187-bfbd-2b0766304009" ac:name="confiform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">answer3</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Answer3</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
```

```
    </p>
    <p>
      <ac:structured-macro ac:macro-id="abd6fcc4-7584-4b29-b21b-3dc5438a554b" ac:name="confiform-field-
definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">answer4</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Answer4</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
    </p>
    <ac:structured-macro ac:macro-id="4d1eae52-d748-484a-bd23-11c9d6f6fd43" ac:name="confiform-field-definition-
rules" ac:schema-version="1">
      <ac:parameter ac:name="condition">id:[empty]</ac:parameter>
      <ac:parameter ac:name="fieldName">entryId,answer1,answer2,answer3,answer4</ac:parameter>
      <ac:parameter ac:name="values">choice:[entry.choice]</ac:parameter>
      <ac:parameter ac:name="action">Reset value</ac:parameter>
      <ac:parameter ac:name="onUserActionOnly">true</ac:parameter>
      <ac:parameter ac:name="actionFieldName">choice</ac:parameter>
    </ac:structured-macro>
    <p>
      <ac:structured-macro ac:macro-id="440a31ec-8b59-49f0-9c6e-3d413105b059" ac:name="confiform-field-
definition-rules" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">entryId=[entry.id]&amp;amp;answer1=[entry.answer1]&amp;amp;answer2=[entry.
answer2]&amp;amp;answer3=[entry.answer3]&amp;amp;answer4=[entry.answer4]</ac:parameter>
        <ac:parameter ac:name="values">choice:[entry.choice]</ac:parameter>
        <ac:parameter ac:name="action">Lookup and set value</ac:parameter>
        <ac:parameter ac:name="actionFieldName">choice</ac:parameter>
      </ac:structured-macro>
    </p>
    <ac:structured-macro ac:macro-id="2d1b8b26-d680-4a74-b26f-c08cde880fb5" ac:name="confiform-ifttt" ac:schema-
version="1">
      <ac:parameter ac:name="action">Delete ConfiForms Entry</ac:parameter>
      <ac:parameter ac:name="event">onCreated</ac:parameter>
      <ac:parameter ac:name="title">choice:[entry.choice] AND !id:[entry.id]</ac:parameter>
      <ac:rich-text-body>
        <p>
          <br/>
        </p>
      </ac:rich-text-body>
    </ac:structured-macro>
    <p>
      <br/>
    </p>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```