

Include and show JSON data from JIRA with ConfiDoc

We use Atlassian JIRA here and enable lookup UI on our ListView macro

Live DEMO below:

| Parameter | Value | Query |
|----------------|-------|-------|
| JIRA Issue key | | JIRA |

CONFSERVER-36424

{panel:bgColor=#e7f4fa} *NOTE:* This suggestion is for *Confluence Server*. Using *Confluence Cloud*? [See the corresponding suggestion|<http://jira.atlassian.com/browse/CONFCLOUD-36424>]. {panel} See CONF-25086 which was marked as fixed, but was not complete. Add a Content representation with embedded styles, similar to SOAP API.

We use ListView with custom body layout, like this:

CONF DOC ConfDoc ListView Macro | values = [KEY]CONF-36424; | serviceId = 93fbc6aa-692e-4b82-ab57-7f8ecab2681c | enableLo...

CONF DOC ConfDoc Field Macro | name = key | label = Key

Info

CONF DOC ConfDoc Field Macro | name = fields.description |...

The service we use is Atlassian JIRA and it is defined in ConfiDoc configurations like this:

Edit Configuration

Connection type:

No authentication

Name:

Atlassian JIRA

The name for your configuration, will be visible to users

Service URL:

https://jira.atlassian.com/rest/api/latest/issue/[KEY]

Test

You can use placeholders for parameters which can be later set by users of this configuration (in macro editor).
Parameters should be wrapped in brackets (like []), should be alphanumeric (unless you want to urlencode it, see example below), no spaces allowed.

- https://jira.atlassian.com/rest/api/latest/issue/[PARAM1]
- SELECT * FROM purchases WHERE id=[MYPURCHASEID]

If you need to UriEncode the parameter's value then use the following notation: [(PARAM1)]

Restrictions:

Comma separated user groups and/or users who should have access to this configuration
And will be able to use it using ConfiDoc macros

Save

Delete

Cancel

Very simple, no auth and uses just one parameter [KEY]

We use it with ConfiDoc's ListView macro

Edit 'ConfiDoc ListView Macro' Macro

List (or WYSIWYG) view for Confluence ConfiDoc plugin [Documentation](#)

Name of the service/configuration to use *

Atlassian JIRA

Define new configurations

Services are defined by Confluence administrators through ConfiDoc plugin configuration UI

Root element to use

When you need to show a subset of data returned

Sorting/Ordering

Preview

✓

Visible only in PREVIEW
How to configure ConfiDoc List/Table/Card Views
[Show](#)

| Parameter | Value | |
|----------------|-------|-----------------------|
| JIRA Issue key | CONF- | <div>Query JIRA</div> |

CONF-36424

See CONF-25086 which was marked as fixed, but was not complete. Add a Content representation with embedded styles, similar to SOAP API.

[Select macro](#)

Save

Cancel

We have also enabled default lookup UI (with a bit of customizations over the default texts and labels)

Edit 'ConfiDoc ListView Macro' Macro

Filter to apply on returned data

☒ Show lookup dialog for service

Users will be able to set own parameters for configured service request

Caption for action button in lookup dialog

Labels to use for lookup parameters

Key-values, separated by & (as in URL), where key - is parameter name, and value is the text you want to use as label

☐ Use local Cache

Set HTML element ID

 Preview

Visible only in PREVIEW



How to configure ConfiDoc List/Table/Card Views
[Show](#)

| Parameter | Value | |
|----------------|-------|----------------------------|
| JIRA Issue key | CONF- | Query JIRA |

CONF-36424



See CONF-25086 which was marked as fixed, but was not complete. Add a Content representation with embedded styles, similar to SOAP API.

[Select macro](#)

[Save](#)

[Cancel](#)

And the result you can see on the top of this page. Welcome to ConfiDoc! 😊