

form to lookup and preset values from existing record by user

How it looks like in Confluence editor

ConfiForms Form Definition | formName = f

ConfiForms Form Field Definition | fieldName = answer1 | field...

ConfiForms Form Field Definition | fieldName = answer2 | field...

ConfiForms Form Field Definition | fieldName = answer3 | field...

ConfiForms Form Field Definition | fieldName = answer4 | field...

ConfiForms Rules for Field Definition | condition = id:[empty] | ac...

Edit '1

Condi

id:[em

Action w

conditio

as in filt

matches

current

validatic

can refe

current |

☐ Exec

When

exec

(acti

load

name

Action

Looku

Choose

more de

Select m

Parameters for Rule

```
entryId=[entry.id]&answer1=[entry.answer1]&answer2=[entry.answer2]&answer3=[entry.answer3]&answer4=[entry.answer4]
```

Please note that when you see this demo as anonymous user and this will not work for you as designed - copy the storage format to your Confluence server in order to see how it works

Answer1

Answer2

Answer3

Answer4

Save

Storage format

```
<ac:structured-macro ac:macro-id="a0ae2d3f-839b-47e1-889a-812cc57fc819" ac:name="conform" ac:schema-version="1">
  <ac:parameter ac:name="formName">f1</ac:parameter>
  <ac:rich-text-body>
    <p>
      <ac:structured-macro ac:macro-id="8e15928d-197f-478d-bbe2-98b3934b9337" ac:name="conform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">answer1</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Answer1</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="74eb2abf-48db-4ac2-a83f-06c8add859a8" ac:name="conform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">answer2</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Answer2</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="5c5affd2-aed3-4187-bfbd-2b0766304009" ac:name="conform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">answer3</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Answer3</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <ac:structured-macro ac:macro-id="abd6fcc4-7584-4b29-b21b-3dc5438a554b" ac:name="conform-field-definition" ac:schema-version="1">
        <ac:parameter ac:name="fieldName">answer4</ac:parameter>
        <ac:parameter ac:name="fieldLabel">Answer4</ac:parameter>
        <ac:parameter ac:name="type">checkbox</ac:parameter>
      </ac:structured-macro>
    </p>
    <br/>
    <p>
      <ac:structured-macro ac:macro-id="bf7ece6d-1cb2-48e9-9c3c-bcf223ec45d7" ac:name="conform-field-definition-rules" ac:schema-version="1">
        <ac:parameter ac:name="condition">id:[empty]</ac:parameter>
        <ac:parameter ac:name="fieldName">entryId=[entry.id]&answer1=[entry.answer1]&answer2=[entry.answer2]&answer3=[entry.answer3]&answer4=[entry.answer4]</ac:parameter>
        <ac:parameter ac:name="values">createdBy:[entry._user]</ac:parameter>
        <ac:parameter ac:name="action">Lookup and set value</ac:parameter>
      </ac:structured-macro>
    </p>
    <p>
      <br/>
    </p>
  </ac:rich-text-body>
</ac:structured-macro>
```

